

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s5483:						
Mazuma	---	600	400	200	Shadscale	40
					Black greasewood	20
					Bottlebrush squirreltail	10
					Indian ricegrass	10
					Seepweed	10
					Bailey greasewood	5
					Bud sagebrush	5
Mazuma	---	600	450	300	Shadscale	40
					Black greasewood	25
					Bottlebrush squirreltail	10
					Seepweed	10
					Bud sagebrush	5
Isolde	---	500	300	150	Black greasewood	40
					Indian ricegrass	25
					Fourwing saltbush	5
					Shadscale	5
Mazuma	---	600	450	250	Shadscale	25
					Bud sagebrush	20
					Indian ricegrass	15
					Sandberg bluegrass	5
					Winterfat	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5483:						
Ragtown	---	400	200	50	Black greasewood	60
					Inland saltgrass	10
					Shadscale	10
					Alkali sacaton	5
					Basin wildrye	5
					Bottlebrush squirreltail	5
					Seepweed	5
Trocken	---	500	300	200	Shadscale	35
					Bud sagebrush	15
					Indian ricegrass	15
					Bottlebrush squirreltail	10
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Winterfat	5
Ragtown	---	400	200	50	Black greasewood	50
					Inland saltgrass	10
					Shadscale	10
					Alkali sacaton	5
					Basin wildrye	5
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Seepweed	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5483:						
Trocken	---	500	300	100	Shadscale	25
					Bailey greasewood	20
					Indian ricegrass	15
					Bud sagebrush	10
					Bottlebrush squirreltail	5
Trocken	---	500	400	300	Shadscale	30
					Indian ricegrass	20
					Bud sagebrush	15
					Sandberg bluegrass	10
					Bottlebrush squirreltail	5
					Winterfat	5