

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5558:						
Jericho	---	800	600	400	Indian ricegrass	25
					Wyoming big sagebrush	20
					Needleandthread	15
					Bottlebrush squirreltail	10
					Bluegrass	5
Orovada	---	800	600	400	Indian ricegrass	30
					Needleandthread	20
					Wyoming big sagebrush	15
					Basin wildrye	5
					Bluebunch wheatgrass	5
					Bottlebrush squirreltail	5
					Sandberg bluegrass	5
					Spiny hopsage	5
					Thurber needlegrass	5
Ursine	---	800	400	250	Black sagebrush	25
					Indian ricegrass	10
					Needleandthread	10
					Basin wildrye	5
					Bluebunch wheatgrass	5
					Bud sagebrush	5
					Small rabbitbrush	5
					Winterfat	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5558:						
Cobre	---	800	600	400	Indian ricegrass	25
					Wyoming big sagebrush	20
					Needleandthread	15
					Bottlebrush squirreltail	10
					Sandberg bluegrass	5
Izar	---	900	700	400	Black sagebrush	25
					Indian ricegrass	25
					Needleandthread	10
					Bluebunch wheatgrass	5
					Douglas rabbitbrush	5
					Winterfat	5
Orovada	---	700	450	300	Wyoming big sagebrush	30
					Spiny hopsage	10
					Thurber needlegrass	10
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Sandberg bluegrass	5
Pibler	---	900	700	400	Black sagebrush	25
					Indian ricegrass	25
					Needleandthread	10
					Winterfat	10
					Basin wildrye	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s5558: Toano	---	500	325	150	Sickle saltbush	60
					Western wheatgrass	10
					Winterfat	10
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Shadscale	5