

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5625:						
Snapp	---	800	600	400	Indian ricegrass	15
					Wyoming big sagebrush	15
					Bluebunch wheatgrass	10
					Thurber needlegrass	10
					Bottlebrush squirreltail	5
					Eriogonum	5
					Globemallow	5
					Sandberg bluegrass	5
Dewar	---	800	600	400	Thurber needlegrass	45
					Wyoming big sagebrush	20
					Bluebunch wheatgrass	10
					Bottlebrush squirreltail	5
					Downy rabbitbrush	5
					Indian ricegrass	5
					Sandberg bluegrass	5
					Spiny hopsage	5
Dacker	---	800	600	400	Bluebunch wheatgrass	15
					Other perennial forbs	15
					Basin wildrye	10
					Big sagebrush	10
					Other shrubs	10
					Sandberg bluegrass	10
					Thurber needlegrass	10
					Bottlebrush squirreltail	5
					Douglas rabbitbrush	5
					Eriogonum	5
					Other perennial grasses	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5625:						
Hunnton	---	800	600	400	Thurber needlegrass Wyoming big sagebrush Bluebunch wheatgrass Downy rabbitbrush Spiny hopsage	50 20 10 5 5
Dewar	---	800	600	400	Thurber needlegrass Wyoming big sagebrush Bluebunch wheatgrass Bottlebrush squirreltail Downy rabbitbrush Indian ricegrass Sandberg bluegrass Spiny hopsage	45 20 10 5 5 5 5 5
Dewar	---	800	600	400	Bluebunch wheatgrass Thurber needlegrass Basin big sagebrush Basin wildrye Indian ricegrass Sandberg bluegrass Wyoming big sagebrush	35 30 10 10 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5625:						<i>Pct</i>
Hunnton	---	800	600	400	Thurber needlegrass	20
					Big sagebrush	15
					Bluebunch wheatgrass	15
					Bluegrass	10
					Basin wildrye	5
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Needleandthread	5
					Webber ricegrass	5
Dacker	---	800	600	400	Thurber needlegrass	50
					Wyoming big sagebrush	20
					Bluebunch wheatgrass	10
					Sandberg bluegrass	5
					Spiny hopsage	5
Dewar	---	700	450	300	Wyoming big sagebrush	35
					Thurber needlegrass	20
					Indian ricegrass	15
					Bottlebrush squirreltail	10
					Sandberg bluegrass	10
					Spiny hopsage	10
Puett	---	350	200	100	Indian ricegrass	30
					Wyoming big sagebrush	30
					Thurber needlegrass	10
					Bluegrass	5
					Bottlebrush squirreltail	5
					Shadscale	5
					Spiny hopsage	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5625:						
Wieland	---	800	600	400	Bluebunch wheatgrass Big sagebrush Thurber needlegrass Basin wildrye Bluegrass Bottlebrush squirreltail Globemallow Indian ricegrass Webber ricegrass	25 15 15 5 5 5 5 5 5
Cortez	---	800	600	400	Thurber needlegrass Wyoming big sagebrush Bluebunch wheatgrass Bluegrass Bottlebrush squirreltail Rabbitbrush	30 20 10 5 5 5
Dewar	---	800	600	400	Bluebunch wheatgrass Thurber needlegrass Basin big sagebrush Basin wildrye Indian ricegrass Sandberg bluegrass Wyoming big sagebrush	35 30 10 10 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5625: Puett	---	350	200	100	Indian ricegrass Wyoming big sagebrush Thurber needlegrass Bluegrass Bottlebrush squirreltail Shadscale Spiny hopsage	30 30 10 5 5 5 5
Bilbo	---	1,000	700	500	Bluebunch wheatgrass Big sagebrush Thurber needlegrass Antelope bitterbrush Basin wildrye Tapertip hawksbeard	60 10 10 5 5 5
Burrita	---	500	400	250	Bluebunch wheatgrass Thurber needlegrass Big sagebrush Other perennial grasses Other perennial forbs Other shrubs	20 20 15 15 5 5
Dewar	---	900	700	500	Needleandthread Big sagebrush Indian ricegrass Other perennial forbs Bottlebrush squirreltail Other shrubs Spiny hopsage Thickspike wheatgrass	25 20 15 10 5 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5625:						<i>Pct</i>
Goosel	---	800	600	400	Bluebunch wheatgrass	40
					Thurber needlegrass	30
					Basin big sagebrush	10
					Basin wildrye	10
					Indian ricegrass	5
					Wyoming big sagebrush	5
Shabliss	---	800	600	400	Thurber needlegrass	35
					Wyoming big sagebrush	15
					Bluebunch wheatgrass	5
					Bottlebrush squirreltail	5
					Downy rabbitbrush	5
					Indian ricegrass	5
					Sandberg bluegrass	5
					Spiny hopsage	5
Connel	---	800	600	400	Bluebunch wheatgrass	25
					Thurber needlegrass	20
					Big sagebrush	15
					Basin wildrye	5
					Bluegrass	5
					Bottlebrush squirreltail	5
					Indian ricegrass	5