

# Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5628:						
Argenta	---	500	350	200	Black greasewood Basin wildrye Alkali sacaton Bottlebrush squirreltail Inland saltgrass	60 10 5 5 5
Bubus	---	600	450	300	Shadscale Black greasewood Seepweed Bottlebrush squirreltail Bud sagebrush	40 25 10 5 5
Batan	---	600	450	300	Shadscale Black greasewood Bud sagebrush Bottlebrush squirreltail Indian ricegrass	40 25 10 5 5
Wendane	---	500	350	200	Black greasewood Basin wildrye Inland saltgrass	60 15 10
Preble	---	500	350	200	Black greasewood Basin wildrye Inland saltgrass	65 15 5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5628:						
Broyles	---	600	450	300	Shadscale Black greasewood Bottlebrush squirreltail Bud sagebrush Indian ricegrass Seepweed	45 15 10 10 5 5
Ocala	---	500	350	200	Black greasewood Basin wildrye Inland saltgrass	60 10 5
Prida	---	500	350	200	Black greasewood Basin wildrye Inland saltgrass	60 15 5
Wendane	---	1,900	1,400	800	Basin wildrye Alkali sacaton Inland saltgrass Black greasewood Rubber rabbitbrush	40 15 15 10 5
Goldrun	---	300	200	50	Black greasewood Indian ricegrass Other shrubs Needleandthread Other perennial forbs	40 20 20 10 5
Playas	---	---	---	---	---	---

## Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5628:						<i>Pct</i>
Valmy	---	800	600	350	Black greasewood Basin big sagebrush Spiny hopsage Basin wildrye Bottlebrush squirreltail Indian ricegrass	30 25 15 10 5 5
Bubus	---	800	600	350	Black greasewood Basin wildrye Basin big sagebrush Spiny hopsage Wyoming big sagebrush Bottlebrush squirreltail Indian ricegrass	30 20 15 15 10 5 5
Needle Peak	---	1,500	1,100	600	Basin wildrye Basin big sagebrush Western wheatgrass Black greasewood	55 20 10 5
Goldrun	---	800	500	300	Indian ricegrass Basin wildrye Big sagebrush Black greasewood Fourwing saltbush Hairy horsebrush Needleandthread Spiny hopsage Thickspike wheatgrass	35 10 10 5 5 5 5 5 5

## Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5628: Sonoma	---	1,500	1,100	600	Basin wildrye Basin big sagebrush Western wheatgrass Black greasewood Bottlebrush squirreltail Rubber rabbitbrush	50 15 10 5 5 5