

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5652:						
Wendane	---	500	350	200	Black greasewood Basin wildrye Inland saltgrass	60 15 10
Benin	---	400	275	175	Black greasewood Inland saltgrass Shadscale Alkali sacaton Basin wildrye Bottlebrush squirreltail Seepweed	60 10 10 5 5 5 5
Bubus	---	600	450	300	Shadscale Black greasewood Seepweed Bottlebrush squirreltail Bud sagebrush	40 25 10 5 5
Batan	---	650	450	325	Shadscale Black greasewood Bud sagebrush Seepweed Bottlebrush squirreltail	40 25 10 10 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5652:						
Bloor	---	1,500	1,000	600	Basin wildrye Big sagebrush Streambank wheatgrass Black greasewood Bottlebrush squirreltail Rubber rabbitbrush	35 10 10 5 5 5
Preble	---	500	350	200	Black greasewood Basin wildrye Inland saltgrass	65 15 5
Benin	---	1,500	1,200	800	Torrey quailbush Basin wildrye Black greasewood Basin big sagebrush Other shrubs	40 30 10 5 5
Bloor	---	1,900	1,400	800	Basin wildrye Alkali sacaton Black greasewood Inland saltgrass Other perennial forbs Other perennial grasses Other shrubs Rubber rabbitbrush	35 20 10 5 5 5 5 5
Prida	---	500	350	200	Black greasewood Basin wildrye Inland saltgrass	60 15 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5652:						<i>Pct</i>
Duffer	---	1,500	1,000	200	Alkali sacaton	40
					Alkali cordgrass	10
					Inland saltgrass	10
					Alkali bluegrass	5
					Alkali muhly	5
					Silver buffaloberry	2
					Willow	2
Isolde	---	500	300	150	Black greasewood	40
					Indian ricegrass	25
					Fourwing saltbush	5
					Shadscale	5
Pocker	---	1,500	1,100	600	Basin wildrye	50
					Basin big sagebrush	20
					Black greasewood	10
					Bluegrass	5
					Bottlebrush squirreltail	5
					Inland saltgrass	5
					Rubber rabbitbrush	5
					Western wheatgrass	5
Duffer	---	450	300	150	Alkali sacaton	50
					Inland saltgrass	15
					Iodinebush	15
					Saltbush	10
					Basin wildrye	5
					Black greasewood	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5652:						
Ocala	---	500	350	200	Black greasewood Basin wildrye Inland saltgrass	60 10 5
Weso	---	600	450	300	Shadscale Black greasewood Bottlebrush squirreltail Bud sagebrush Basin wildrye Inland saltgrass Seepweed	40 25 10 10 5 5 5
Humboldt	---	3,000	2,500	1,800	Basin wildrye Creeping wildrye Willow Alkali sacaton Basin big sagebrush Inland saltgrass Nevada bluegrass	30 25 10 5 5 5 5
Playas	---	---	---	---	---	---
Sombrero	---	1,900	1,400	800	Basin wildrye Alkali sacaton Black greasewood Inland saltgrass Other perennial grasses Other shrubs Rubber rabbitbrush	40 20 10 10 5 5 5