

# Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5653:						
Knott	---	650	400	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass Spiny hopsage	35 25 10 5 5 5
Treekor	---	700	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass Spiny hopsage Winterfat	40 20 5 5 5 5 5
Kleinbush	---	700	450	300	Bud sagebrush Shadscale Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass	35 35 10 10 5
Tenabo	---	700	450	300	Bud sagebrush Shadscale Indian ricegrass Bottlebrush squirreltail Other perennial forbs Other shrubs	30 30 10 5 5 5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5653:						<i>Pct</i>
Blackhawk	---	700	450	300	Shadscale	35
					Bud sagebrush	20
					Indian ricegrass	15
					Bottlebrush squirreltail	10
					Sandberg bluegrass	5
					Spiny hopsage	5
					Winterfat	5
Dewar	---	700	450	300	Wyoming big sagebrush	35
					Thurber needlegrass	20
					Indian ricegrass	15
					Bottlebrush squirreltail	10
					Sandberg bluegrass	10
					Spiny hopsage	10
Knott	---	650	400	300	Shadscale	35
					Bud sagebrush	25
					Bottlebrush squirreltail	10
					Indian ricegrass	5
					Sandberg bluegrass	5
					Spiny hopsage	5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5653:						
Survya	---	300	275	150	Shadscale	40
					Spiny hopsage	10
					Other perennial forbs	6
					Black greasewood	5
					Bottlebrush squirreltail	5
					Bud sagebrush	5
					Indian ricegrass	5
					Other perennial grasses	5
					Other shrubs	5
Mazuma	---	600	450	250	Shadscale	25
					Bud sagebrush	20
					Indian ricegrass	15
					Sandberg bluegrass	5
					Winterfat	5
Tenabo	---	700	450	300	Shadscale	40
					Bud sagebrush	30
					Bottlebrush squirreltail	10
					Bluegrass	5
					Indian ricegrass	5
Laxal	---	600	450	300	Shadscale	50
					Black greasewood	20
					Bottlebrush squirreltail	5
					Fourwing saltbush	5
					Rubber rabbitbrush	5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5653:						
Orovada	---	700	450	300	Wyoming big sagebrush	30
					Spiny hopsage	10
					Thurber needlegrass	10
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Sandberg bluegrass	5
Unlic	---	650	425	325	Black greasewood	30
					Shadscale	25
					Bud sagebrush	15
					Other shrubs	11
					Bottlebrush squirreltail	5
					Other perennial grasses	3
					Basin wildrye	2
					Indian ricegrass	2
					Miterwort	2
					Other perennial forbs	2
					Seepweed	2
					Spiny horsebrush	1