

# Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5658:						
Knott	---	650	400	300	Shadscale	35
					Bud sagebrush	25
					Bottlebrush squirreltail	10
					Indian ricegrass	5
					Sandberg bluegrass	5
					Spiny hopsage	5
Mirkwood	---	400	200	100	Desert needlegrass	30
					Indian ricegrass	10
					Littleleaf horsebrush	10
					Shadscale	10
					Bailey greasewood	5
					Bottlebrush squirreltail	5
					Nevada ephedra	5
Laxal	---	600	450	300	Shadscale	50
					Black greasewood	20
					Bottlebrush squirreltail	5
					Fourwing saltbush	5
					Rubber rabbitbrush	5
Singatse	---	200	100	50	Indian ricegrass	20
					Shadscale	20
					Bailey greasewood	5
					Bottlebrush squirreltail	5
					Bud sagebrush	5
					Desert needlegrass	5
					Nevada ephedra	5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5658:						
Weso	---	700	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass Spiny hopsage Winterfat	40 25 10 10 5 5 5
Unlic	---	650	425	325	Black greasewood Shadscale Bud sagebrush Other shrubs Bottlebrush squirreltail Other perennial grasses Basin wildrye Indian ricegrass Miterwort Other perennial forbs Seepweed Spiny horsebrush	30 25 15 11 5 3 2 2 2 2 2 1
Prida	---	500	350	200	Black greasewood Basin wildrye Inland saltgrass	60 15 5
Badland	---	---	---	---	---	---

## Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5658:						
Paranat	---	1,800	1,300	900	Alkali sacaton Alkali bluegrass Alkali cordgrass Inland saltgrass Basin wildrye Western wheatgrass	40 10 10 10 5 5
Needle Peak	---	1,500	1,100	600	Basin wildrye Basin big sagebrush Western wheatgrass Black greasewood	55 20 10 5
Rock outcrop	---	---	---	---	---	---
Valmy	---	800	600	350	Black greasewood Basin big sagebrush Spiny hopsage Basin wildrye Bottlebrush squirreltail Indian ricegrass	30 25 15 10 5 5