

# Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5662: Cirac	---	400	200	50	Black greasewood Alkali sacaton Basin wildrye Fourwing saltbush Inland saltgrass Iodinebush Seepweed Shadscale	40 5 5 5 5 5 5 5
Yomba	---	800	350	150	Black greasewood Shadscale Bailey greasewood Basin wildrye Bottlebrush squirreltail Bud sagebrush Fourwing saltbush Indian ricegrass	25 15 5 5 5 5 5 5
Slaw	---	400	200	50	Black greasewood Other shrubs Basin wildrye Bud sagebrush Indian ricegrass Inland saltgrass Other annual forbs Seepweed Shadscale	40 10 5 5 5 5 5 5 5
Playas	---	---	---	---	---	---

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5662: Zaba	---	400	200	50	Black greasewood Shadscale Alkali sacaton Basin wildrye Inland saltgrass Seepweed Fourwing saltbush	55 10 5 5 5 5 3
Youngston	---	2,000	1,400	600	Alkali sacaton Inland saltgrass Basin wildrye Rubber rabbitbrush Black greasewood Rush	25 15 10 10 5 5
Timper	---	350	250	100	Shadscale Bud sagebrush Galleta Indian ricegrass Winterfat Bailey greasewood Bottlebrush squirreltail Desert needlegrass Fourwing saltbush Wolfberry	20 10 10 10 10 5 5 5 5 5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5662:						
Belcher	---	450	350	175	Fourwing saltbush	15
					Bud sagebrush	10
					Galleta	10
					Indian ricegrass	10
					Winterfat	10
					Anderson wolfberry	5
					Desert needlegrass	5
					Littleleaf horsebrush	5
					Nevada dalea	5
					Nevada ephedra	5
					Shadscale	5
					Spiny hopsage	5
Belted	---	350	250	100	Shadscale	20
					Bud sagebrush	10
					Galleta	10
					Winterfat	10
					Bailey greasewood	5
					Bottlebrush squirreltail	5
					Desert needlegrass	5
Domez	---	350	250	100	Galleta	20
					Shadscale	20
					Bailey greasewood	10
					Indian ricegrass	10
					Bottlebrush squirreltail	5
					Bud sagebrush	5
					Desert needlegrass	5
					Nevada ephedra	5
					Winterfat	5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5662: Geer	---	400	250	100	Winterfat Fourwing saltbush Indian ricegrass Bud sagebrush Desert needlegrass Galleta	30 15 10 5 5 5
Oricto	---	200	125	75	Shadscale Bailey greasewood Cooper wolfberry Indian ricegrass	30 10 10 5
Rustigate	---	3,300	2,200	1,000	Alkali sacaton Inland saltgrass Baltic rush Basin big sagebrush Basin wildrye Fourwing saltbush Shadscale	30 15 5 5 5 5 5
Stargo	---	350	250	100	Galleta Shadscale Bailey greasewood Indian ricegrass Bottlebrush squirreltail Bud sagebrush Desert needlegrass Nevada ephedra Other perennial forbs Winterfat	20 20 15 10 5 5 5 5 5 5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s5662:						
Wardenot	---	350	250	100	Shadscale	20
					Bud sagebrush	10
					Galleta	10
					Indian ricegrass	10
					Winterfat	10
					Bailey greasewood	5
					Bottlebrush squirreltail	5
					Desert needlegrass	5
					Fourwing saltbush	5
ltme	---	350	250	100	Shadscale	20
					Bud sagebrush	10
					Galleta	10
					Indian ricegrass	10
					Winterfat	10
					Bailey greasewood	5
					Desert needlegrass	5
					Fourwing saltbush	5
Kawich	---	200	100	50	Black greasewood	20
					Indian ricegrass	20
					Horsebrush	15
					Needleandthread	10
					Fourwing saltbush	5
					Shadscale	2

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5662:						
Koyen	---	450	350	175	Fourwing saltbush	15
					Galleta	15
					Winterfat	15
					Bud sagebrush	10
					Indian ricegrass	10
					Desert needlegrass	5
					Nevada ephedra	5
					Sand dropseed	5
					Spiny hopsage	5
Luning	---	400	200	100	Indian ricegrass	40
					Fourwing saltbush	25
					Cooper wolfberry	15
					Bottlebrush squirreltail	5
					Dalea	5
Rustigate	---	2,000	1,400	600	Alkali sacaton	25
					Inland saltgrass	15
					Basin wildrye	10
					Rubber rabbitbrush	10
					Baltic rush	5
					Basin big sagebrush	5
					Black greasewood	5
					Douglas rabbitbrush	5
					Seepweed	5
					Shadscale	5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s5662: Settlement	---	3,300	2,200	1,000	Alkali sacaton Inland saltgrass Baltic rush Basin big sagebrush Basin wildrye Big sagebrush Fourwing saltbush Shadscale	30 15 5 5 5 5 5 5