

# Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5681:						
Yobe	---	500	350	200	Black greasewood	50
					Basin wildrye	15
					Alkali sacaton	5
					Bottlebrush squirreltail	5
					Inland saltgrass	5
Bezo	---	600	400	200	Big saltbush	65
					Black greasewood	15
					Basin wildrye	10
					Inland saltgrass	5
					Seepweed	5
Yobe	---	1,500	1,200	800	Torrey quailbush	30
					Basin wildrye	20
					Basin big sagebrush	10
					Black greasewood	10
					Alkali sacaton	5
					Inland saltgrass	5
					Rubber rabbitbrush	5
					Shadscale	5
Yipor	---	600	450	300	Shadscale	40
					Black greasewood	25
					Seepweed	15
					Bottlebrush squirreltail	10
					Bud sagebrush	5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5681:						
Yipor	---	600	450	300	Shadscale Black greasewood Seepweed Bottlebrush squirreltail	40 25 15 10
Yobe variant	---	450	300	150	Alkali sacaton Iodinebush Inland saltgrass Saltbush Big saltbush Black greasewood	55 15 10 10 5 5
Argenta	---	1,900	1,400	800	Basin wildrye Alkali sacaton Black greasewood Inland saltgrass Rubber rabbitbrush	50 15 15 10 5
Batan	---	600	450	300	Shadscale Black greasewood Bud sagebrush Bottlebrush squirreltail Indian ricegrass	40 25 10 5 5
Wendane	---	1,500	1,200	800	Torrey quailbush Basin wildrye Basin big sagebrush Black greasewood	50 25 5 5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5681:						
Mazuma	---	400	275	175	Black greasewood Inland saltgrass Shadscale Alkali sacaton Basin wildrye Bottlebrush squirreltail Seepweed	60 10 10 5 5 5 5
Valmy	---	800	600	350	Black greasewood Basin big sagebrush Spiny hopsage Basin wildrye Bottlebrush squirreltail Indian ricegrass	30 25 15 10 5 5
Playas	---	---	---	---	---	---
Sonoma	---	1,500	1,000	700	Alkali sacaton Alkali bluegrass Alkali cordgrass Inland saltgrass Basin wildrye Western wheatgrass	40 15 10 10 5 5
Goldrun variant	---	200	100	50	Black greasewood Shadscale Bottlebrush squirreltail Indian ricegrass	40 15 5 5