Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pci
s5682:		400	200	50	Di i	
Slaw		400	200	50	Black greasewood	50
					Inland saltgrass	10
					Other perennial grasses Other shrubs	10 10
					Shadscale	10
					Other perennial forbs	5
					Seepweed	5
					Coopwood	Ö
Cirac		400	200	50	Black greasewood	50
					Inland saltgrass	10
					Other perennial grasslikes	10
					Other shrubs	10
					Shadscale	10
					Other perennial forbs	5
					Seepweed	5
Playas						
Wabuska		2,000	1,500	1,000	Alkali sacaton	25
· · · · · · · · · · · · · · · · · · ·		_,000	.,000	.,000	Inland saltgrass	20
					Basin wildrye	10
					Black greasewood	10
					Other perennial forbs	10
					Creeping wildrye	5
					Iodinebush	5
					Other perennial grasses	5
					Seepweed	5



Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteristic vogetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s5682:						
Dedmount		1,500	1,000	600	Torrey quailbush	50
					Basin wildrye	15
					Black greasewood	10
					Alkali sacaton	5
					Bottlebrush squirreltail	5
					Other annual forbs	5
					Other shrubs	5
					Shadscale	5
Nuyobe		2,000	1,500	1,000	Basin wildrye	40
					Alkali sacaton	10
					Black greasewood	10
					Shadscale	10
					Basin big sagebrush	5
					Creeping wildrye	5
					Inland saltgrass	5
					Rubber rabbitbrush	5
Isolde		500	300	150	Black greasewood	40
					Indian ricegrass	25
					Fourwing saltbush	5
					Shadscale	5



Rangeland Productivity and Plant Composition

United States

and soil name Ecological site Favorable Normal Unfavorable year year	getation composition
Lb/ac Lb/ac Lb/ac	Pct
s5682:	
Wabuska 400 200 50 Black greasewood	40
Shadscale	10
Alkali sacaton	5
Bottlebrush squirreltail	5
Bud sagebrush	5
Indian ricegrass	5
Inland saltgrass	5
Seepweed	5
Tornillo variant 2,500 1,900 1,200 Basin wildrye	70
Basin big sagebrush	10
Anderson peachbrush	5
Rubber rabbitbrush	5
Western wheatgrass	5
Kawich family 300 200 50 Black greasewood	40
Indian ricegrass	20
Needleandthread	10
Reese family 400 200 50 Black greasewood	60
Inland saltgrass	10

