

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s5683:						
Sonoma	---	3,300	2,200	1,000	Alkali sacaton	30
					Other perennial grasses	15
					Baltic rush	10
					Inland saltgrass	10
					Other shrubs	10
					Alkali cordgrass	5
					Basin wildrye	5
					Giantreed	5
					Other annual forbs	5
					Other perennial forbs	5
Sagouspe	---	3,300	2,200	1,000	Alkali sacaton	30
					Baltic rush	15
					Inland saltgrass	15
					Other perennial grasses	15
					Other shrubs	10
					Alkali cordgrass	5
					Basin wildrye	5
					Other perennial forbs	5
Fallon	---	3,000	2,500	2,000	Creeping wildrye	30
					Basin big sagebrush	20
					Basin wildrye	15
					Rubber rabbitbrush	10
					Western wheatgrass	10
					Inland saltgrass	5
					Slender wheatgrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5683:						
Sagouspe	---	1,500	1,000	600	Torrey quailbush Basin wildrye Black greasewood Bottlebrush squirreltail Shadscale	45 15 5 5 5
Slaw	---	1,500	1,000	600	Torrey quailbush Basin wildrye Alkali sacaton Black greasewood Bottlebrush squirreltail Fourwing saltbush Other annual forbs Other perennial forbs Other perennial grasses Shadscale	45 15 5 5 5 5 5 5 5 5
Sagouspe	---	1,500	1,000	600	Torrey quailbush Basin wildrye Black greasewood Bottlebrush squirreltail Shadscale	45 15 5 5 5
Slaw	---	---	---	---	---	---

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5683:						
Fallon	---	3,000	2,500	2,000	Creeping wildrye	30
					Basin big sagebrush	20
					Basin wildrye	15
					Rubber rabbitbrush	10
					Western wheatgrass	10
					Inland saltgrass	5
					Slender wheatgrass	5
Fallon	---	1,500	1,000	600	Torrey quailbush	45
					Basin wildrye	15
					Alkali sacaton	5
					Black greasewood	5
					Bottlebrush squirreltail	5
					Fourwing saltbush	5
					Other annual forbs	5
					Other perennial forbs	5
					Other perennial grasses	5
					Shadscale	5
Fettic variant	---	3,000	2,500	2,000	Creeping wildrye	40
					Basin big sagebrush	15
					Basin wildrye	15
					Western wheatgrass	10
					Inland saltgrass	5
					Rubber rabbitbrush	5
					Slender wheatgrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s5683: Fallon	---	2,000	1,500	1,000	Alkali sacaton Inland saltgrass Basin wildrye Black greasewood Creeping wildrye Iodinebush Seepweed	30 20 10 10 10 5 5