

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s5687:						
Candelaria	---	400	300	100	Spiny menodora	20
					Bailey greasewood	10
					Galleta	10
					Indian ricegrass	10
					Shadscale	10
					Bottlebrush squirreltail	5
					Bud sagebrush	5
					Nevada ephedra	5
Candelaria	---	350	250	100	Shadscale	25
					Indian ricegrass	20
					Galleta	10
					Bailey greasewood	5
					Bottlebrush squirreltail	5
					Bud sagebrush	5
					Nevada ephedra	5
					Winterfat	5
Wardenot	---	400	300	100	Bailey greasewood	15
					Spiny menodora	15
					Bud sagebrush	10
					Galleta	10
					Indian ricegrass	10
					Bottlebrush squirreltail	5
					Nevada ephedra	5
					Shadscale	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5687:						
Izo	---	500	300	100	Rubber rabbitbrush	20
					Fourwing saltbush	15
					Burrobrush	10
					Cooper wolfberry	5
					Indian ricegrass	5
					Littleleaf horsebrush	5
					Nevada ephedra	5
					Spiny hopsage	5
Luning	---	400	200	100	Indian ricegrass	40
					Fourwing saltbush	25
					Cooper wolfberry	15
					Bottlebrush squirreltail	5
					Dalea	5
Izo	---	400	300	100	Spiny menodora	20
					Indian ricegrass	15
					Bailey greasewood	10
					Galleta	10
					Shadscale	10
					Bottlebrush squirreltail	5
					Desert needlegrass	5
					Nevada ephedra	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5687:						
Typic Torriorthents	---	100	50	25	Shadscale	45
					Bailey greasewood	15
					Other shrubs	10
					Bud sagebrush	5
					Cooper wolfberry	5
					Indian ricegrass	5
					Nevada dalea	5
					Other perennial forbs	5
					Other perennial grasses	5
Gynelle	---	350	200	100	Shadscale	25
					Indian ricegrass	20
					Bailey greasewood	15
					Cooper wolfberry	15
Candelaria	---	400	200	100	Indian ricegrass	40
					Fourwing saltbush	25
					Cooper wolfberry	15
					Dalea	5
Roic	---	350	250	100	Shadscale	20
					Bud sagebrush	10
					Galleta	10
					Indian ricegrass	10
					Bailey greasewood	5
					Bottlebrush squirreltail	5
					Desert needlegrass	5
					Fourwing saltbush	5
					Winterfat	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5687:						
Roic	---	100	50	25	Shadscale	40
					Bailey greasewood	10
					Bud sagebrush	5
					Cooper wolfberry	5
					Indian ricegrass	5
					Littleleaf horsebrush	5
					Nevada dalea	5
Sundown	---	400	200	100	Indian ricegrass	50
					Fourwing saltbush	20
					Cooper wolfberry	10
					Nevada dalea	5
Downeyville	---	300	200	100	Spiny menodora	20
					Galleta	10
					Anderson wolfberry	5
					Bailey greasewood	5
					Bud sagebrush	5
					Desert needlegrass	5
					Indian ricegrass	5
					Nevada ephedra	5
					Shadscale	5
Gynelle	---	200	100	50	Shadscale	40
					Black greasewood	20
					Bailey greasewood	10
					Bud sagebrush	5
					Indian ricegrass	5
					Fourwing saltbush	2