

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5745: Cirac	---	400	200	50	Black greasewood Alkali sacaton Basin wildrye Fourwing saltbush Inland saltgrass Iodinebush Seepweed Shadscale	40 5 5 5 5 5 5 5
Jarboe	---	2,000	1,400	600	Alkali sacaton Inland saltgrass Baltic rush Basin wildrye Basin big sagebrush Black greasewood Rubber rabbitbrush Western wheatgrass	30 15 10 10 5 5 5 5
Rustigate	---	3,300	2,200	1,000	Alkali sacaton Inland saltgrass Baltic rush Basin big sagebrush Basin wildrye Fourwing saltbush Shadscale	30 15 5 5 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5745:						<i>Pct</i>
Slaw	---	400	200	50	Black greasewood Other shrubs Basin wildrye Bud sagebrush Indian ricegrass Inland saltgrass Other annual forbs Seepweed Shadscale	40 10 5 5 5 5 5 5 5
Yomba	---	500	350	150	Shadscale Indian ricegrass Bud sagebrush Galleta Winterfat Bailey greasewood Bottlebrush squirreltail Fourwing saltbush	20 15 10 10 10 5 5 5
Blueagle	---	250	150	100	Black greasewood Inland saltgrass Seepweed Shadscale	60 10 5 5
Geer	---	400	250	100	Winterfat Fourwing saltbush Indian ricegrass Bud sagebrush Desert needlegrass Galleta	30 15 10 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5745:						
Jarboe	---	2,000	1,400	600	Alkali sacaton	30
					Inland saltgrass	15
					Baltic rush	10
					Basin wildrye	10
					Basin big sagebrush	5
					Black greasewood	5
					Rubber rabbitbrush	5
					Western wheatgrass	5
Kawich	---	200	100	50	Black greasewood	35
					Shadscale	15
					Alkali sacaton	5
					Anderson wolfberry	5
					Fourwing saltbush	5
					Indian ricegrass	5
					Littleleaf horsebrush	5
					Rubber rabbitbrush	5
					Sand dropseed	5
Nuyobe	---	3,300	2,200	1,000	Alkali sacaton	30
					Inland saltgrass	15
					Alkali cordgrass	5
					Baltic rush	5
					Basin big sagebrush	5
					Basin wildrye	5
					Fourwing saltbush	5
					Rubber rabbitbrush	5
					Shadscale	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5745:						
Slaw	---	800	350	150	Shadscale	25
					Alkali sacaton	15
					Black greasewood	15
					Basin wildrye	10
					Wolfberry	10
					Indian ricegrass	5
					Inland saltgrass	5
Stargo	---	350	250	100	Galleta	20
					Shadscale	20
					Bailey greasewood	15
					Indian ricegrass	10
					Bottlebrush squirreltail	5
					Bud sagebrush	5
					Desert needlegrass	5
					Nevada ephedra	5
					Other perennial forbs	5
					Winterfat	5