

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5748:						
Ricert	---	400	200	100	Shadscale Bud sagebrush Indian ricegrass Needleandthread Bottlebrush squirreltail Sandberg bluegrass Winterfat	40 10 10 10 5 5 5
Clowfin	---	800	600	300	Indian ricegrass Winterfat Bottlebrush squirreltail Bud sagebrush	40 40 5 5
McConnel	---	800	600	400	Indian ricegrass Wyoming big sagebrush Needleandthread Bottlebrush squirreltail Sandberg bluegrass Basin wildrye	25 20 15 5 5 2
Pineval	---	800	600	400	Indian ricegrass Needleandthread Wyoming big sagebrush Bottlebrush squirreltail	30 20 20 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5748:						
Desatoya	---	600	400	200	Pine bluegrass	30
					Black sagebrush	25
					Sandberg bluegrass	10
					Shadscale	10
					Bottlebrush squirreltail	5
					Low sagebrush	5
					Other perennial forbs	5
					Other shrubs	5
Ricert	---	500	300	100	Bailey greasewood	20
					Indian ricegrass	20
					Shadscale	20
					Bottlebrush squirreltail	10
					Bud sagebrush	10
					Sandberg bluegrass	2
Whirlo	---	400	200	100	Indian ricegrass	25
					Shadscale	20
					Bottlebrush squirreltail	10
					Bud sagebrush	10
					Bailey greasewood	5
					Sandberg bluegrass	5
Rednik	---	500	300	100	Shadscale	30
					Bailey greasewood	20
					Indian ricegrass	20
					Bud sagebrush	10
					Bottlebrush squirreltail	5
					Desert needlegrass	2

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5748: Rednik	---	500	300	100	Shadscale	30
					Bailey greasewood	20
					Indian ricegrass	20
					Bud sagebrush	10
					Bottlebrush squirreltail	5
					Desert needlegrass	2