United States


[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-------------------|-----------------|---------------------|---|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s5752: | | | | | | |
| Singatse | | 200 | 100 | 50 | Indian ricegrass | 20 |
| | | | | | Shadscale | 20 |
| | | | | | Bailey greasewood | 5 |
| | | | | | Bottlebrush squirreltail Bud sagebrush | 5 5 |
| | | | | | Desert needlegrass | 5 |
| | | | | | Nevada ephedra | 5 |
| Jobpeak | | 200 | 150 | 50 | Mountain big sagebrush | 20 |
| | | | | | Sandberg bluegrass | 10 |
| | | | | | Basin wildrye | 5 |
| | | | | | Douglas rabbitbrush | 5 |
| | | | | | Lupine | 5 |
| Rock outcrop | | | | | | |
| Grina | | | | | | |
| Jacratz | | | | | | |
| Loomer | | 400 | 200 | 100 | Low sagebrush | 35 |
| | | | | | Pine bluegrass | 20 |
| | | | | | Thurber needlegrass | 15 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Spiny hopsage Spiny horsebrush | 5 5 |




United States

| Map symbol and soil name | Ecological site | | l dry-weight prod | luction | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-------------------|-------------------|---------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | Lb/ac | Lb/ac | Lb/ac | | Po |
| s5752: | | | | | | |
| Coppereid | | 600 | 400 | 250 | Low sagebrush | 3 |
| | | | | | Nevada ephedra | 1 |
| | | | | | Pine bluegrass | 1 |
| | | | | | Bottlebrush squirreltail | |
| | | | | | Indian ricegrass | |
| | | | | | Other perennial forbs | |
| | | | | | Other shrubs | |
| | | | | | Spiny hopsage | |
| Teguro | | | | | | |
| Bedwyr | | 500 | 400 | 300 | Bud sagebrush | 2 |
| | | | | | Pine bluegrass | 2 |
| | | | | | Shadscale | 2 |
| | | | | | Sandberg bluegrass | 1 |
| | | | | | Bottlebrush squirreltail | |
| Bedzee | | 400 | 200 | 100 | Sagebrush | 3 |
| | | | | | Bluegrass | 1 |
| | | | | | Other perennial forbs | 1 |
| | | | | | Other shrubs | 1 |
| | | | | | Bottlebrush squirreltail | |
| | | | | | Needlegrass | |
| Bosco variant | | | | | | |



United States

| Map symbol and soil name | Ecological site | Total o | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-------------------|-----------------|---------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | • | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s5752: | | | | | | |
| Loomer | | 400 | 200 | 100 | Low sagebrush | 35 |
| | | | | | Pine bluegrass | 20 |
| | | | | | Thurber needlegrass | 15 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Spiny hopsage | 5 |
| | | | | | Spiny horsebrush | 5 |
| Theon | | 350 | 200 | 50 | Shadscale | 20 |
| | | | | | Bailey greasewood | 10 |
| | | | | | Bud sagebrush | 10 |
| | | | | | Desert needlegrass | 10 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Indian ricegrass | 5 |
| Bombadil | | 800 | 600 | 400 | Thurber needlegrass | 30 |
| | | | | | Wyoming big sagebrush | 20 |
| | | | | | Indian ricegrass | 10 |
| | | | | | Webber ricegrass | 10 |
| | | | | | Green ephedra | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Spiny hopsage | 5 |
| Duco | | | | | | |



United States

| Map symbol and soil name | Ecological site | Total o | lry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-------------------|-----------------|---------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | Lb/ac | Lb/ac | Lb/ac | | Pc |
| s5752: | | | | | | |
| Findout | | 400 | 200 | 100 | Desert needlegrass | 20 |
| | | | | | Shadscale | 20 |
| | | | | | Indian ricegrass | 10 |
| | | | | | Littleleaf horsebrush | 10 |
| | | | | | Other perennial forbs | 10 |
| | | | | | Anderson wolfberry | 5 |
| | | | | | Bailey greasewood | 5 |
| | | | | | Nevada ephedra | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Spiny hopsage | Ę |
| Hart Camp variant | | 600 | 400 | 300 | Bluegrass | 25 |
| | | | | | Idaho fescue | 15 |
| | | | | | Low sagebrush | 15 |
| | | | | | Other perennial forbs | 15 |
| | | | | | Other shrubs | 10 |
| | | | | | Thurber needlegrass | 10 |
| | | | | | Bottlebrush squirreltail | 5 |
| McQuarrie variant | | 1,000 | 800 | 600 | Wyoming big sagebrush | 20 |
| | | | | | Other shrubs | 15 |
| | | | | | Pine bluegrass | 15 |
| | | | | | Thurber needlegrass | 15 |
| | | | | | Other perennial forbs | 10 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Douglas rabbitbrush | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Sandberg bluegrass | 5 |

