

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5754:						
Settlement	---	2,000	1,500	1,000	Basin wildrye Alkali sacaton Shadscale Big sagebrush Inland saltgrass Rubber rabbitbrush Black greasewood	40 10 10 5 5 5 1
Chuckles	---	400	200	50	Black greasewood Alkali sacaton Basin wildrye Bottlebrush squirreltail Inland saltgrass Seepweed Shadscale	50 5 5 5 5 5 5
Louderback	---	2,000	1,500	1,000	Alkali sacaton Basin wildrye Black greasewood Inland saltgrass Other perennial grasses Other perennial forbs Seepweed	30 10 10 10 10 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5754:						
Slaw	---	1,500	1,000	600	Torrey quailbush Basin wildrye Alkali sacaton Black greasewood Bottlebrush squirreltail Fourwing saltbush Shadscale	50 20 5 5 5 5 5
Slaw	---	1,500	1,000	600	Torrey quailbush Basin wildrye Alkali sacaton Black greasewood Bottlebrush squirreltail Fourwing saltbush Shadscale	50 20 5 5 5 5 5
Playas	---	---	---	---	---	---
Bango	---	500	300	100	Bailey greasewood Indian ricegrass Shadscale Bottlebrush squirreltail Bud sagebrush	30 20 15 10 10
Juva	---	400	200	100	Indian ricegrass Shadscale Bailey greasewood Bottlebrush squirreltail Bud sagebrush	20 20 10 10 10

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5754:						<i>Pct</i>
Benin	---	600	450	300	Shadscale	30
					Black greasewood	20
					Bottlebrush squirreltail	10
					Bud sagebrush	5
Isolde	---	500	300	150	Black greasewood	40
					Indian ricegrass	25
					Fourwing saltbush	5
					Shadscale	5
Stumble	---	800	450	200	Indian ricegrass	40
					Fourwing saltbush	15
					Bailey greasewood	10
					Needleandthread	10
					Dalea	5
					Galleta	5
					Winterfat	5
Yobe	---	400	275	175	Black greasewood	60
					Inland saltgrass	10
					Shadscale	10
					Alkali sacaton	5
					Bailey greasewood	5
					Basin wildrye	5
					Bottlebrush squirreltail	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5754:						
Ragtown	---	400	200	50	Black greasewood	50
					Inland saltgrass	10
					Shadscale	10
					Alkali sacaton	5
					Basin wildrye	5
					Bottlebrush squirreltail	5
					Other perennial forbs	5
					Seepweed	5
Wendane	---	1,500	1,000	600	Big saltbush	55
					Black greasewood	10
					Inland saltgrass	10
					Basin wildrye	5
					Bottlebrush squirreltail	5
					Seepweed	5