

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5755:						
Singatse	---	200	100	50	Indian ricegrass	20
					Shadscale	20
					Bailey greasewood	5
					Bottlebrush squirreltail	5
					Bud sagebrush	5
					Desert needlegrass	5
					Nevada ephedra	5
Mirkwood	---	500	350	200	Desert needlegrass	20
					Shadscale	15
					Indian ricegrass	10
					Littleleaf horsebrush	10
					Anderson wolfberry	5
					Bailey greasewood	5
					Bottlebrush squirreltail	5
					Nevada ephedra	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Spiny hopsage	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5755:						
Theon	---	350	200	50	Shadscale	15
					Bailey greasewood	10
					Bud sagebrush	10
					Desert needlegrass	10
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Winterfat	5
Old Camp	---	600	450	300	Pine bluegrass	30
					Wyoming big sagebrush	15
					Nevada ephedra	10
					Spiny hopsage	10
					Thurber needlegrass	10
Nemico	---	500	350	200	Galleta	30
					Indian ricegrass	15
					Bailey greasewood	10
					Bottlebrush squirreltail	5
					Bud sagebrush	5
					Shadscale	5
Rock outcrop	---	---	---	---	---	---

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5755:						
Theon	---	350	200	50	Shadscale	20
					Bailey greasewood	10
					Bud sagebrush	10
					Desert needlegrass	10
					Bottlebrush squirreltail	5
					Indian ricegrass	5
Buckaroo	---	500	300	100	Shadscale	25
					Bailey greasewood	20
					Bud sagebrush	10
					Indian ricegrass	10
					Bottlebrush squirreltail	5
Rezave	---	500	300	100	Indian ricegrass	20
					Shadscale	20
					Bailey greasewood	10
					Bottlebrush squirreltail	10
					Bud sagebrush	5
					Sandberg bluegrass	5
Rezave	---	400	300	200	Pine bluegrass	20
					Shadscale	20
					Bud sagebrush	10
					Sandberg bluegrass	10
					Bailey greasewood	5
					Bottlebrush squirreltail	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s5755: Nevador	---	700	500	400	Indian ricegrass	25
					Wyoming big sagebrush	20
					Western wheatgrass	15
					Needleandthread	10
					Spiny hopsage	10
					Bottlebrush squirreltail	5
					Winterfat	5