

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s5757:						
Minneha	---	600	500	300	Antelope bitterbrush Bottlebrush squirreltail Currant Mountain big sagebrush	5 5 5 5
Glean	---	1,500	1,200	900	Idaho fescue Antelope bitterbrush Mountain big sagebrush Bluebunch wheatgrass Cusick bluegrass Snowberry	50 15 15 10 5 5
Hapgood	---	1,500	900	650	Mountain brome Mountain big sagebrush Columbia needlegrass Idaho fescue Basin wildrye Bluebunch wheatgrass Letterman needlegrass Serviceberry Snowberry	20 15 10 10 5 5 5 5 5
Haypress	---	1,000	900	800	Needlegrass Antelope bitterbrush Anderson peachbrush Bluebunch wheatgrass Big sagebrush Green ephedra	50 15 10 10 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s5757:						
Rock outcrop	---	0	0	0	---	---
Torripsammentic Haploxerolls	---	200	100	50	Arrowleaf balsamroot	5
					Big sagebrush	5
					Bluebunch wheatgrass	5
					Bluegrass	5
					Bottlebrush squirreltail	5
					Idaho fescue	5
					Mountainmahogany	5
					Serviceberry	5
					Snowberry	5
					Thurber needlegrass	5
Tulecan	---	950	600	325	Black sagebrush	30
					Pine bluegrass	10
					Bottlebrush squirreltail	5
					Galleta	5
					Green ephedra	5
Typic Argixerolls	---	1,400	1,000	700	Idaho fescue	35
					Bluebunch wheatgrass	25
					Mountain big sagebrush	10
					Basin wildrye	5
					Currant	5
					Serviceberry	5
					Snowberry	5
					Thurber needlegrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5757: Glean	---	1,100	900	800	Bluebunch wheatgrass Mountain big sagebrush Antelope bitterbrush Idaho fescue Pine bluegrass Serviceberry	20 20 5 5 5 5