

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5759:						
Batan	---	600	450	300	Shadscale Black greasewood Bud sagebrush Bottlebrush squirreltail Indian ricegrass	40 20 10 5 5
Wendane	---	1,900	1,400	800	Basin wildrye Alkali sacaton Inland saltgrass Black greasewood Rubber rabbitbrush	40 15 15 10 5
Ocala	---	500	350	200	Black greasewood Basin wildrye Inland saltgrass	60 10 5
Ocala	---	1,900	1,400	800	Basin wildrye Alkali sacaton Black greasewood Inland saltgrass Rubber rabbitbrush	50 20 10 10 5
Gund	---	1,500	1,100	600	Basin wildrye Basin big sagebrush Black greasewood Western wheatgrass	55 20 10 10

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5759:						
Gund	---	800	600	400	Black greasewood	50
					Basin wildrye	20
					Bottlebrush squirreltail	10
					Inland saltgrass	10
Bubus	---	600	450	300	Shadscale	40
					Black greasewood	25
					Seepweed	10
					Bottlebrush squirreltail	5
					Bud sagebrush	5
Ocala	---	1,900	1,400	800	Basin wildrye	50
					Alkali sacaton	20
					Black greasewood	10
					Inland saltgrass	10
					Rubber rabbitbrush	5
Kelk	---	800	600	400	Basin wildrye	50
					Basin big sagebrush	15
					Black greasewood	5
					Bottlebrush squirreltail	5
					Inland saltgrass	5
					Rubber rabbitbrush	5
					Western wheatgrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5759:						
Needle Peak	---	1,500	1,100	600	Basin wildrye Basin big sagebrush Black greasewood Bottlebrush squirreltail Inland saltgrass Povertyweed Rubber rabbitbrush Western wheatgrass	55 15 5 5 5 5 5 5
Playas	---	---	---	---	---	---
Umberland	---	500	350	200	Black greasewood Basin wildrye	60 15
Wendane	---	500	350	200	Black greasewood Basin wildrye Inland saltgrass	60 15 10
Bubus	---	650	425	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass Spiny hopsage	35 20 10 10 5 5
Ocala	---	1,900	1,400	800	Basin wildrye Alkali sacaton Black greasewood Inland saltgrass Rubber rabbitbrush	50 15 15 10 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5759:						
Skullwak	---	350	225	150	Alkali rabbitbrush Inland saltgrass Baltic rush Nuttall alkaligrass Cinquefoil	30 20 10 10 5
Sonoma	---	1,900	1,400	800	Basin wildrye Alkali sacaton Black greasewood Inland saltgrass Rubber rabbitbrush	45 20 15 10 5
Umberland	---	600	450	300	Shadscale Black greasewood Bottlebrush squirreltail Bud sagebrush Seepweed	40 25 10 10 10