United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s5775:						
Itca						
Itca						
Clanalpine						
Reluctan		1,400	1,000	700	Idaho fescue	30
			•		Bluebunch wheatgrass	25
					Mountain big sagebrush	10
					Arrowleaf balsamroot	5
					Basin wildrye	5
					Pine bluegrass	5
					Sandberg bluegrass	5
					Snowberry	5
					Tapertip hawksbeard	5
					Thurber needlegrass	5
Torro		1,500	1,100	800	Bluebunch wheatgrass	40
					Basin wildrye	10
					Idaho fescue	10
					Mountain big sagebrush	10
					Arrowleaf balsamroot	5
					Bottlebrush squirreltail	5
					Lupine	5
					Thurber needlegrass	5
Itca						



Map symbol and soil name	Ecological site	Total o	lry-weight produ	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pc
s5775:						
Reluctan		1,400	1,000	700	Bluebunch wheatgrass	25
					Idaho fescue	20
					Mountain big sagebrush	10
					Thurber needlegrass	10
					Basin wildrye	5
					Pine bluegrass	5
					Sandberg bluegrass	5
					Snowberry	5
Roca		1,000	750	500	Bluebunch wheatgrass	45
					Big sagebrush	10
					Thurber needlegrass	10
					Basin wildrye	5
					Bluegrass	5
Sumine		1,500	1,100	800	Bluebunch wheatgrass	50
					Mountain big sagebrush	15
					Basin wildrye	10
					Idaho fescue	5
					Mountain brome	5
					Oceanspray	5
					Thurber needlegrass	5
Locane		500	400	250	Bluebunch wheatgrass	20
					Thurber needlegrass	20
					Wyoming big sagebrush	10
					Bluegrass	5
					Bottlebrush squirreltail	5
					Mountain big sagebrush	5



Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteristic regulation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s5775:						
Ninemile		700	500	300	Low sagebrush	25
					Bluebunch wheatgrass	10
					Pine bluegrass	10
					Idaho fescue	5
					Thurber needlegrass	5
Robson		800	600	400	Low sagebrush	25
					Bluebunch wheatgrass	20
					Thurber needlegrass	10
					Bluegrass	5
					Bottlebrush squirreltail	5
					Indian ricegrass	5
Walti		1,200	800	600	Idaho fescue	40
					Bluebunch wheatgrass	15
					Low sagebrush	10
					Balsamroot	5
					Nevada bluegrass	5
					Sandberg bluegrass	5
					Thurber needlegrass	5



Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Onaracionsilo vogetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s5775:						
Cleavage		350	250	150	Low sagebrush	20
					Idaho fescue	10
					Other perennial forbs	10
					Webber ricegrass	10
					Black sagebrush	5
					Bottlebrush squirreltail	5
					Cusick bluegrass	5
					Other shrubs	5
					Phlox	5
					Sandberg bluegrass	5
Duco						
Locane		800	600	400	Thurber needlegrass	25
					Wyoming big sagebrush	15
					Bluebunch wheatgrass	10
					Bluegrass	10
					Bottlebrush squirreltail	5
					Indian ricegrass	5
Nobuck		500	250	150	Black sagebrush	25
					Indian ricegrass	15
					Needleandthread	10
					Bluebunch wheatgrass	5
					Bud sagebrush	5
					Pine bluegrass	5
Ravenswood						



Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	onaracionata regenation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s5775:						
Robson		700	500	300	Low sagebrush	30
					Bluegrass	15
					Thurber needlegrass	15
					Bluebunch wheatgrass	5
					Webber ricegrass	5
Softscrabble		1,100	900	600	Bluebunch wheatgrass	20
					Mountain big sagebrush	15
					Thurber needlegrass	10
					Antelope bitterbrush	5
					Basin wildrye	5
					Bluegrass	5
					Idaho fescue	5
					Serviceberry	5
Rock outcrop						

