

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5794:						
Tenabo	---	700	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass Winterfat	40 25 10 5 5 5
Ricert	---	650	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass	35 30 10 10 5
Tenabo	---	700	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Bluegrass Indian ricegrass	40 30 10 5 5
Creemon	---	700	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass	40 30 10 10 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5794:						
Whirlo	---	700	450	300	Shadscale Bud sagebrush Indian ricegrass Bottlebrush squirreltail Sandberg bluegrass Winterfat	40 30 10 5 5 5
Broyles	---	700	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Globemallow Sandberg bluegrass	40 20 10 10 5 5
Rad	---	800	600	400	Thurber needlegrass Big sagebrush Bluebunch wheatgrass Basin wildrye Indian ricegrass Sandberg bluegrass	20 15 15 5 5 5
Tenabo	---	700	450	300	Bud sagebrush Shadscale Indian ricegrass Bottlebrush squirreltail Other perennial forbs Other shrubs	30 30 10 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5794:						
Oxcorel	---	700	450	300	Shadscale	35
					Bud sagebrush	25
					Bottlebrush squirreltail	10
					Indian ricegrass	10
					Bluegrass	5
					Other shrubs	5
Redflame	---	650	450	300	Shadscale	35
					Bud sagebrush	25
					Bottlebrush squirreltail	10
					Indian ricegrass	10
					Sandberg bluegrass	5
					Spiny hopsage	5
Kingingham	---	700	450	300	Shadscale	35
					Bud sagebrush	30
					Bottlebrush squirreltail	10
					Indian ricegrass	10
					Sandberg bluegrass	5
Tenabo	---	700	450	300	Shadscale	40
					Bud sagebrush	25
					Bottlebrush squirreltail	10
					Indian ricegrass	5
					Sandberg bluegrass	5
					Winterfat	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
<i>Pct</i>						
s5794:						
Beoska	---	700	450	300	Shadscale	35
					Bud sagebrush	25
					Bottlebrush squirreltail	5
					Indian ricegrass	5
Broyles	---	700	450	300	Shadscale	40
					Bud sagebrush	20
					Bottlebrush squirreltail	10
					Indian ricegrass	10
					Globemallow	5
					Sandberg bluegrass	5
Dun Glen	---	700	450	300	Shadscale	35
					Bud sagebrush	25
					Indian ricegrass	10
					Bottlebrush squirreltail	5
					Sandberg bluegrass	5
					Spiny hopsage	5
Relley	---	700	450	300	Shadscale	40
					Bud sagebrush	30
					Bottlebrush squirreltail	10
					Indian ricegrass	10
					Bluegrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5794: Veta	---	800	600	400	Thurber needlegrass Wyoming big sagebrush Basin wildrye Bluebunch wheatgrass Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass	30 15 5 5 5 5 5