

# Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5801:						
Beoska	---	700	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass	35 25 5 5
Chiara	---	800	600	400	Thurber needlegrass Wyoming big sagebrush Bluebunch wheatgrass Basin wildrye Bottlebrush squirreltail Downy rabbitbrush Sandberg bluegrass	25 20 10 5 5 5 5
Jenor	---	700	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass	35 30 15 10 5
Jenor	---	700	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass	35 30 15 10 5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5801:						
Tenabo	---	700	450	300	Shadscale	40
					Bud sagebrush	25
					Bottlebrush squirreltail	10
					Indian ricegrass	5
					Sandberg bluegrass	5
					Winterfat	5
Chiara	---	800	600	400	Thurber needlegrass	25
					Wyoming big sagebrush	20
					Bluebunch wheatgrass	10
					Basin wildrye	5
					Bottlebrush squirreltail	5
					Downy rabbitbrush	5
					Sandberg bluegrass	5
Beoska	---	700	450	300	Shadscale	35
					Bud sagebrush	25
					Bottlebrush squirreltail	5
					Indian ricegrass	5
Broyles	---	700	450	300	Shadscale	40
					Bud sagebrush	20
					Bottlebrush squirreltail	10
					Indian ricegrass	10
					Globemallow	5
					Sandberg bluegrass	5

## Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5801:						<i>Pct</i>
Chiara	---	800	600	400	Thurber needlegrass	25
					Wyoming big sagebrush	20
					Bluebunch wheatgrass	10
					Basin wildrye	5
					Bottlebrush squirreltail	5
					Downy rabbitbrush	5
					Sandberg bluegrass	5
Genaw	---	700	450	300	Wyoming big sagebrush	30
					Spiny hopsage	15
					Thurber needlegrass	15
					Bluegrass	10
					Indian ricegrass	10
					Bottlebrush squirreltail	5
					Downy rabbitbrush	5
					Webber ricegrass	5
Orovada	---	800	600	400	Thurber needlegrass	20
					Wyoming big sagebrush	20
					Bluebunch wheatgrass	10
					Bottlebrush squirreltail	10
					Basin wildrye	5
					Downy rabbitbrush	5
					Indian ricegrass	5
					Sandberg bluegrass	5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s5801: Perlor	---	700	450	300	Bud sagebrush	30
					Shadscale	30
					Indian ricegrass	10
					Bluegrass	5
					Bottlebrush squirreltail	5
Puett	---	200	150	100	Indian ricegrass	15
					Wyoming big sagebrush	15
					Bottlebrush squirreltail	10
					Antelope bitterbrush	5
					Black sagebrush	5
					Bluegrass	5