

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|--------------------------|-----------------|-----------------------------|--------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Pct</i> | |
| s5804: | | | | | | |
| Oxcorel | --- | 700 | 450 | 300 | Bud sagebrush | 30 |
| | | | | | Shadscale | 30 |
| | | | | | Indian ricegrass | 10 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Spiny hopsage | 5 |
| | | | | | Winterfat | 5 |
| Whirlo | --- | 700 | 450 | 300 | Shadscale | 40 |
| | | | | | Bud sagebrush | 30 |
| | | | | | Indian ricegrass | 10 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Winterfat | 5 |
| Knott | --- | 650 | 400 | 300 | Shadscale | 35 |
| | | | | | Bud sagebrush | 25 |
| | | | | | Bottlebrush squirreltail | 10 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Spiny hopsage | 5 |
| Beoska | --- | 700 | 450 | 300 | Shadscale | 35 |
| | | | | | Bud sagebrush | 25 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Indian ricegrass | 5 |

Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-----------------------------|----------------|---------------------|--------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | | <i>Pct</i> |
| s5804: | | | | | | |
| Wholan | --- | 700 | 450 | 300 | Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass Spiny hopsage | 40 30 10 10 5 5 |
| Kingingham | --- | 700 | 450 | 300 | Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass | 35 30 10 10 5 |
| Oxcorel | --- | 700 | 450 | 300 | Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Bluegrass Other shrubs | 35 25 10 10 5 5 |
| Beoska | --- | 700 | 450 | 300 | Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass Spiny hopsage Winterfat | 35 25 5 5 5 5 5 |

Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-----------------------------|----------------|---------------------|--------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | | <i>Pct</i> |
| s5804: | | | | | | |
| Sodhouse | --- | 700 | 450 | 300 | Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass Spiny hopsage | 40 25 10 10 5 5 |
| Weso | --- | 700 | 450 | 300 | Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass Spiny hopsage Winterfat | 40 25 10 10 5 5 5 |
| Tomera | --- | 800 | 600 | 400 | Thurber needlegrass Wyoming big sagebrush Bluebunch wheatgrass Downy rabbitbrush | 40 20 5 5 |
| Beoska | --- | 700 | 450 | 300 | Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass | 35 25 5 5 |
| Golconda | --- | 700 | 450 | 300 | Shadscale Bud sagebrush Bottlebrush squirreltail Pine bluegrass Sandberg bluegrass | 40 30 15 5 5 |

Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-----------------------------|----------------|---------------------|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | | <i>Pct</i> |
| s5804: | | | | | | |
| Whirlo | --- | 700 | 450 | 300 | Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass Spiny hopsage | 40 30 10 5 5 5 |
| Zineb | --- | 800 | 600 | 400 | Thurber needlegrass Wyoming big sagebrush Bluegrass Bluebunch wheatgrass Bottlebrush squirreltail Indian ricegrass | 30 20 10 5 5 5 |
| Beowawe variant | --- | 700 | 450 | 300 | Wyoming big sagebrush Spiny hopsage Bottlebrush squirreltail Sandberg bluegrass Thurber needlegrass Indian ricegrass | 35 15 10 10 10 5 |
| Broyles | --- | 700 | 450 | 300 | Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Globemallow Sandberg bluegrass | 40 20 10 10 5 5 |

Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-----------------------------|----------------|---------------------|---------------------------|--------------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | | <i>Pct</i> |
| s5804: | | | | | | |
| Doowak | --- | 700 | 450 | 300 | Wyoming big sagebrush | 35 |
| | | | | | Indian ricegrass | 10 |
| | | | | | Spiny hopsage | 10 |
| | | | | | Thurber needlegrass | 10 |
| | | | | | Bluegrass | 5 |
| | | | | | Bottlebrush squirreltail | 5 |
| Dun Glen | --- | 700 | 450 | 300 | Shadscale | 35 |
| | | | | | Bud sagebrush | 25 |
| | | | | | Indian ricegrass | 10 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Spiny hopsage | 5 |
| Pineval | --- | 800 | 600 | 400 | Thurber needlegrass | 30 |
| | | | | | Wyoming big sagebrush | 15 |
| | | | | | Bluebunch wheatgrass | 10 |
| | | | | | Basin wildrye | 5 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Pine bluegrass | 5 |
| Snapp | --- | 800 | 600 | 400 | Thurber needlegrass | 25 |
| | | | | | Indian ricegrass | 15 |
| | | | | | Wyoming big sagebrush | 15 |
| | | | | | Bluebunch wheatgrass | 10 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Sandberg bluegrass | 5 |