

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s5826:						
Golconda	---	700	450	300	Shadscale	40
					Bud sagebrush	30
					Bottlebrush squirreltail	15
					Pine bluegrass	5
					Sandberg bluegrass	5
Oxcorel	---	700	450	300	Bud sagebrush	30
					Shadscale	30
					Indian ricegrass	10
					Bottlebrush squirreltail	5
					Sandberg bluegrass	5
					Spiny hopsage	5
					Winterfat	5
Dun Glen	---	700	450	300	Shadscale	35
					Bud sagebrush	25
					Indian ricegrass	10
					Bottlebrush squirreltail	5
					Sandberg bluegrass	5
					Spiny hopsage	5
Ricert	---	650	450	300	Shadscale	35
					Bud sagebrush	30
					Bottlebrush squirreltail	10
					Indian ricegrass	10
					Sandberg bluegrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5826:						<i>Pct</i>
Whirlo	---	700	450	300	Shadscale Bud sagebrush Indian ricegrass Bottlebrush squirreltail Sandberg bluegrass Winterfat	40 30 10 5 5 5
Creemon	---	700	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass	40 30 10 10 5
Oxcorel	---	700	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Bluegrass Other shrubs	35 25 10 10 5 5
Oxcorel	---	700	450	300	Bud sagebrush Shadscale Indian ricegrass Bottlebrush squirreltail Sandberg bluegrass Spiny hopsage Winterfat	30 30 10 5 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5826:						
Pineval	---	800	600	400	Thurber needlegrass	30
					Wyoming big sagebrush	15
					Bluebunch wheatgrass	10
					Basin wildrye	5
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Pine bluegrass	5
Orovada	---	700	450	300	Wyoming big sagebrush	35
					Spiny hopsage	15
					Thurber needlegrass	15
					Bottlebrush squirreltail	10
					Indian ricegrass	10
					Sandberg bluegrass	10
Beoska	---	700	450	300	Shadscale	35
					Bud sagebrush	25
					Bottlebrush squirreltail	5
					Indian ricegrass	5
Cren	---	700	450	300	Shadscale	40
					Bud sagebrush	30
					Indian ricegrass	10
					Bottlebrush squirreltail	5
					Globemallow	5
					Sandberg bluegrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5826: Hessing	---	700	450	300	Shadscale Bud sagebrush Bottlebrush squirreltail Indian ricegrass Sandberg bluegrass Spiny hopsage	35 25 10 10 5 5