United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s5830:						
Sumine		1,500	1,100	800	Bluebunch wheatgrass	50
					Mountain big sagebrush	15
					Basin wildrye	10
					Idaho fescue	5
					Mountain brome	5
					Oceanspray Thurber needlegrass	5 5
					Thurber needlegrass	5
Punchbowl		500	350	250	Black sagebrush	25
					Indian ricegrass	15
					Thurber needlegrass	15
					Bluebunch wheatgrass	5
					Bluegrass	5
Clanalpine						
Itca						
Locane						
Jung		500	250	150	Black sagebrush	25
ŭ					Indian ricegrass	15
					Needleandthread	15
					Bud sagebrush	5
					Pine bluegrass	5
					Sandberg bluegrass	5



Map symbol and soil name	Ecological site	Total o	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Po
s5830:						
Ninemile		700	500	300	Low sagebrush	2
					Bluebunch wheatgrass	1
					Pine bluegrass	1
					Idaho fescue	
					Thurber needlegrass	
Roca		1,000	750	500	Bluebunch wheatgrass	4
					Big sagebrush	1
					Thurber needlegrass	1
					Basin wildrye	
					Bluegrass	
Zoesta		700	500	300	Low sagebrush	2
					Bluebunch wheatgrass	2
					Thurber needlegrass	2
					Bluegrass	1
					Bottlebrush squirreltail	:
Glean		1,500	1,200	900	Idaho fescue	5
					Antelope bitterbrush	1
					Mountain big sagebrush	1
					Bluebunch wheatgrass	1
					Cusick bluegrass	:
					Snowberry	;



Map symbol and soil name	Ecologic		Total dry-weight production			Characteristic vegetation	Rangeland
	Loologic	Favorab year	e Norma year	I	Unfavorable year	Citalaciensiic vegetation	composition
	•	Lb/ac	Lb/ac		Lb/ac		Pci
s5830:							
Locane		8	800	600	400	Thurber needlegrass	25
						Wyoming big sagebrush	15
						Bluebunch wheatgrass	10
						Bluegrass	10
						Bottlebrush squirreltail	5
						Indian ricegrass	5
Robson		-	'00	500	300	Low sagebrush	30
						Bluebunch wheatgrass	20
						Thurber needlegrass	15
						Bluegrass	10
						Bottlebrush squirreltail	5
Attella							
Belate		1,;	200	800	600	Idaho fescue	20
						Bluebunch wheatgrass	15
						Low sagebrush	15
						Sandberg bluegrass	10
						Arrowleaf balsamroot	5
						Bottlebrush squirreltail	5
						Thurber needlegrass	5
Itca							



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pci
s5830:						
Xine		1,400	1,000	700	Idaho fescue	25
					Bluebunch wheatgrass	20
					Basin wildrye	10
					Mountain big sagebrush	10
					Serviceberry	5
					Snowberry	5
					Thurber needlegrass	5
Bucan		1,000	700	500	Bluebunch wheatgrass	50
					Nevada bluegrass	10
					Thurber needlegrass	10
					Wyoming big sagebrush	10
					Arrowleaf balsamroot	5
					Basin wildrye	5
					Mountain big sagebrush	5
Colbar		800	600	400	Thurber needlegrass	30
					Wyoming big sagebrush	15
					Bluebunch wheatgrass	10
					Basin wildrye	5
					Bottlebrush squirreltail	5
					Downy rabbitbrush	5
					Indian ricegrass	5
					Pine bluegrass	5
					Sandberg bluegrass	5
					Spiny hopsage	5



Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	onal according regulation	composition
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s5830:						
Old Camp		800	600	400	Thurber needlegrass	35
					Wyoming big sagebrush	15
					Bluebunch wheatgrass	10
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Sandberg bluegrass	5
					Webber ricegrass	5
Rock outcrop						
Softscrabble		1,400	1,000	700	Bluebunch wheatgrass	30
					Idaho fescue	30
					Thurber needlegrass	10
					Basin wildrye	5
					Bluegrass	5
					Mountain big sagebrush	5
					Snowberry	5

