United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total o	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s5857:						
Cavehill						
Eaglepass		350	250	150	Littleleaf mountainmahogany	65
_ag.spass		000		.00	Nevada greasebush	10
					Black sagebrush	5
					Indian ricegrass	5
					Wyoming big sagebrush	5
Guiser						
Hackwood						
Halacan		350	250	150	Idaho fescue	20
					Black sagebrush	15
					Bluegrass	15
					Low sagebrush	15
					Bottlebrush squirreltail	5
					Goldenweed	5
					Webber ricegrass	5
					Winterfat	5
Hardol						



Map symbol and soil name	Ecological site	Total o	lry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pc
s5857:						
Hatur		1,500	900	650	Mountain big sagebrush	20
					Mountain brome	15
					Columbia needlegrass	10
					Idaho fescue	10
					Other perennial forbs	10
					Other shrubs	10
					Basin wildrye	5
					Letterman needlegrass	5
					Other perennial grasses	5
					Snowberry	Ę
Haunchee		1,400	1,100	600	Curlleaf mountainmahogany	35
					Idaho fescue	15
					Bluebunch wheatgrass	10
					Mountain big sagebrush	10
					Arrowleaf balsamroot	5
					Columbia needlegrass	5
					Lanceleaf rabbitbrush	5
					Western needlegrass	Ę
Hymas		500	300	200	Bluebunch wheatgrass	30
					Indian ricegrass	15
					Arrowleaf balsamroot	10
					Bluegrass	10
					Utah juniper	10
					Antelope bitterbrush	5
					Basin wildrye	5
					Mountain big sagebrush	Ę
					Other perennial grasses	Ę
					Snowberry	Ę



Map symbol and soil name		Ecological site	Total d	lry-weight prod	uction	Characteristic vegetation	Rangeland composition
			Favorable year	Normal year	Unfavorable year		
-	<u> </u>		Lb/ac	Lb/ac	Lb/ac		Pct
s5857:							
Hyzen							
Kulor			500	300	100	Diode on achruph	20
Kyler			500	300	100	Black sagebrush Bluegrass	20 10
						Galleta	10
						Bottlebrush squirreltail	5
						Bud sagebrush	5
						Desert needlegrass	5
						Douglas rabbitbrush	5
						Indian ricegrass	5
						Needleandthread	5
						Nevada ephedra	5
						Winterfat	5
Lion			800	400	250	Black sagebrush	25
Lien			800	400	250	Indian ricegrass	25 15
						Needleandthread	10
						Bluebunch wheatgrass	5
						Sandberg bluegrass	5
						Winterfat	5
Logring							
Pern			5,000	2,500	1,500	Basin wildrye	75
						Basin big sagebrush	10
						Nevada bluegrass	10
Pookaloo							



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
	•	Lb/ac	Lb/ac	Lb/ac		Pc
5857:						
Rodad		300	200	100	Shadscale	20
					Galleta	10
					Indian ricegrass	10
					Bailey greasewood	5
					Bottlebrush squirreltail	5
					Bud sagebrush	5
					Desert needlegrass	5
					Nevada ephedra	5
					Winterfat	5
Sylvaniam						
Xine		1,400	1,000	700	Idaho fescue	25
		,,,,,,	1,000		Bluebunch wheatgrass	20
					Basin wildrye	10
					Mountain big sagebrush	10
					Serviceberry	5
					Snowberry	5
					Thurber needlegrass	5
Zimbob		500	250	150	Black sagebrush	25
202		000		.00	Indian ricegrass	15
					Spiny hopsage	15
					Winterfat	10
					Basin wildrye	5
					Bluebunch wheatgrass	5
					Bluegrass	5
					Bud sagebrush	5
					Needleandthread	5
					Shadscale	5



Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	. Characteristic vegetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s5857:						
Welch		2,500	1,900	1,200	Basin wildrye	55
					Basin big sagebrush	15
					Nevada bluegrass	10
					Mat muhly	5
					Rabbitbrush	5
					Sedge	5
Rock outcrop						

