Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total o	dry-weight produ	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s5864:						
Layview		350	250	150	Idaho fescue	20
					Low sagebrush	20
					Black sagebrush	5
					Bluebunch wheatgrass	5
					Bottlebrush squirreltail	5
					Cusick bluegrass	5
					Pine bluegrass	5
					Sandberg bluegrass	5
					Webber ricegrass	5
Hackwood						
Ravenswood variant		1,600	1,200	800	Curlleaf mountainmahogany	60
					Pine bluegrass	10
					Antelope bitterbrush	5
					Mountain big sagebrush	5
					Snowberry	5
Foxvire		1,000	700	400	Mountain big sagebrush	30
		,			California brome	10
					Letterman needlegrass	10
					Other perennial forbs	10
					Snowberry	10
					Bluegrass	5
					Serviceberry	5



Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	al cita	Total dry-weight production			Characteristic vegetation	Rangeland
			Favorable year	Normal year	Unfavorable year	Characteristic vegetation	composition
			Lb/ac	Lb/ac	Lb/ac		P
s5864:							
Nulligam			1,500	900	650	Mountain big sagebrush	2
						Mountain brome	1
						Idaho fescue	1
						Other perennial forbs	1
						Other perennial grasses	1
						Other shrubs	1
						Basin wildrye	
						Columbia needlegrass	
						Snowberry	
Packer			800	500	300	Low sagebrush	3
						Idaho fescue	
						Mountain brome	
						Thurber needlegrass	
Cropper							-
Rock outcrop							-
Sumine			1,300	900	700	Bluebunch wheatgrass	4
			,- ,-			Antelope bitterbrush	1
						Basin wildrye	1
						Idaho fescue	
						Mountain big sagebrush	
						Nevada bluegrass	
						Thurber needlegrass	



Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s5864:						
Topeki		1,100	900	700	Bluebunch wheatgrass	25
					Curlleaf mountainmahogany	25
					Mountain big sagebrush	15
					Muttongrass	10
					Mountain snowberry	5
					Needlegrass	5

