

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5869:						
Keefa	---	500	350	150	Shadscale Indian ricegrass Bud sagebrush Galleta Winterfat Bailey greasewood Bottlebrush squirreltail	40 15 10 10 10 5 5
Leo	---	400	300	200	Galleta Anderson wolfberry Bud sagebrush Indian ricegrass Spiny hopsage Desert needlegrass Fourwing saltbush Littleleaf horsebrush Nevada dalea Nevada ephedra Shadscale Winterfat	15 10 10 10 10 5 5 5 5 5 5 5
Pahroc	---	500	300	150	Blackbrush Galleta Bud sagebrush Desert needlegrass Indian ricegrass Nevada ephedra	30 10 5 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5869: Univega	---	500	400	300	Indian ricegrass Fourwing saltbush Winterfat Bud sagebrush Desert needlegrass Douglas rabbitbrush Galleta Littleleaf horsebrush Needleandthread Nevada ephedra Shadscale Spiny hopsage	30 15 15 5 5 5 5 5 5 5 5 5
Unsel	---	350	250	100	Shadscale Galleta Bud sagebrush Indian ricegrass Winterfat Bailey greasewood Bottlebrush squirreltail Desert needlegrass Fourwing saltbush Nevada ephedra	20 15 10 10 10 5 5 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5869: Belted	---	350	250	100	Shadscale Bailey greasewood Galleta Indian ricegrass Bud sagebrush Desert needlegrass Fourwing saltbush Nevada ephedra Winterfat	25 10 10 10 5 5 5 5 5
Cliffdown	---	700	500	300	Indian ricegrass Fourwing saltbush Sand dropseed Needleandthread Winterfat	55 15 10 5 5
Geer	---	400	250	100	Winterfat Fourwing saltbush Indian ricegrass Bud sagebrush Desert needlegrass Galleta	30 15 10 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5869:						
Izo	---	500	300	100	Rubber rabbitbrush	20
					Fourwing saltbush	15
					Burrobrush	10
					Cooper wolfberry	5
					Indian ricegrass	5
					Littleleaf horsebrush	5
					Nevada ephedra	5
					Spiny hopsage	5
Koyen	---	450	350	175	Fourwing saltbush	15
					Galleta	15
					Winterfat	15
					Bud sagebrush	10
					Indian ricegrass	10
					Desert needlegrass	5
					Nevada ephedra	5
					Sand dropseed	5
					Spiny hopsage	5
Koyen	---	1,000	700	500	Indian ricegrass	30
					Spiny hopsage	25
					Bud sagebrush	10
					Galleta	10
					Nevada ephedra	10
					Anderson wolfberry	5
					Fourwing saltbush	5
					Winterfat	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5869: Lyda	---	350	250	100	Shadscale Bud sagebrush Galleta Indian ricegrass Bailey greasewood Bottlebrush squirreltail Cooper wolfberry Desert needlegrass Nevada ephedra	25 10 10 10 5 5 5 5 5
Lyx	---	450	350	175	Fourwing saltbush Bud sagebrush Galleta Indian ricegrass Winterfat Anderson wolfberry Desert needlegrass Douglas rabbitbrush Littleleaf horsebrush Nevada dalea Nevada ephedra Shadscale Spiny hopsage	15 10 10 10 10 5 5 5 5 5 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5869: Stumble	---	500	350	200	Fourwing saltbush Indian ricegrass Sand dropseed Anderson wolfberry Dalea Galleta Littleleaf horsebrush Needleandthread Winterfat	20 20 10 5 5 5 5 5 5