

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5872:						
Armespan	---	700	400	200	Black sagebrush	25
					Galleta	10
					Indian ricegrass	10
					Bud sagebrush	5
					Nevada ephedra	5
					Winterfat	5
					Bottlebrush squirreltail	2
					Needlegrass	1
Cliffdown	---	700	500	300	Indian ricegrass	55
					Fourwing saltbush	15
					Sand dropseed	10
					Needleandthread	5
					Winterfat	5
Candelaria	---	350	250	100	Shadscale	25
					Indian ricegrass	20
					Galleta	10
					Bailey greasewood	5
					Bottlebrush squirreltail	5
					Bud sagebrush	5
					Nevada ephedra	5
					Winterfat	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s5872:						
Rattleflat	---	900	600	300	Wyoming big sagebrush	20
					Indian ricegrass	15
					Other shrubs	15
					Needlegrass	10
					Winterfat	10
					Bottlebrush squirreltail	5
					Bud sagebrush	5
					Galleta	5
					Other perennial forbs	5
					Spiny hopsage	5
Cath	---	800	500	300	Wyoming big sagebrush	20
					Galleta	15
					Desert needlegrass	5
					Fourwing saltbush	5
					Indian ricegrass	5
					Needleandthread	5
					Nevada ephedra	5
					Spiny hopsage	5
					Winterfat	5
Geer	---	400	250	100	Winterfat	30
					Fourwing saltbush	15
					Indian ricegrass	10
					Bud sagebrush	5
					Desert needlegrass	5
					Galleta	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s5872:						<i>Pct</i>
Portmount	---	800	600	400	Big sagebrush	20
					Indian ricegrass	20
					Needleandthread	10
					Beardless wheatgrass	5
					Bottlebrush squirreltail	5
					Galleta	5
					Sandberg bluegrass	5
Veet	---	900	600	300	Wyoming big sagebrush	20
					Indian ricegrass	15
					Other shrubs	15
					Galleta	10
					Needlegrass	10
					Winterfat	10
					Bottlebrush squirreltail	5
					Bud sagebrush	5
					Other perennial grasses	5
					Spiny hopsage	5
Zadvar	---	700	500	250	Black sagebrush	30
					Galleta	10
					Indian ricegrass	10
					Winterfat	5