

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|--------------------------|-----------------|-----------------------------|-------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s5878: | | | | | | |
| Logring | --- | --- | --- | --- | --- | --- |
| Flygare family | --- | 3,250 | 2,275 | 1,300 | Mountain snowberry | 15 |
| | | | | | Blue wildrye | 10 |
| | | | | | Butterweed | 10 |
| | | | | | California brome | 10 |
| | | | | | Common chokecherry | 10 |
| | | | | | Edible valerian | 10 |
| | | | | | Creeping barberry | 5 |
| | | | | | Horsemint giant hyssop | 5 |
| | | | | | Nodding bluegrass | 5 |
| | | | | | Peavine | 5 |
| | | | | | Polemonium | 5 |
| | | | | | Sweetanise | 5 |
| Kyler | --- | 500 | 300 | 100 | Black sagebrush | 20 |
| | | | | | Bluegrass | 10 |
| | | | | | Galleta | 10 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Bud sagebrush | 5 |
| | | | | | Desert needlegrass | 5 |
| | | | | | Douglas rabbitbrush | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Needleandthread | 5 |
| | | | | | Nevada ephedra | 5 |
| | | | | | Winterfat | 5 |

Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-----------------------------|----------------|---------------------|-----------------------------|--------------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | | <i>Pct</i> |
| s5878: | | | | | | |
| Eaglepass | --- | 350 | 250 | 150 | Littleleaf mountainmahogany | 65 |
| | | | | | Nevada greasebush | 10 |
| | | | | | Black sagebrush | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Wyoming big sagebrush | 5 |
| Podmor family | --- | 1,750 | 1,500 | 850 | Bluebunch wheatgrass | 25 |
| | | | | | Other perennial grasses | 20 |
| | | | | | Antelope bitterbrush | 10 |
| | | | | | Melic | 10 |
| | | | | | Other shrubs | 10 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Idaho fescue | 5 |
| | | | | | Mountain big sagebrush | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Prairie junegrass | 5 |
| Rock outcrop | --- | --- | --- | --- | --- | --- |
| Ubehebe | --- | --- | --- | --- | --- | --- |

Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-----------------------------|----------------|---------------------|---------------------------|--------------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | | |
| s5878: | | | | | | |
| Dateman family | --- | 320 | 160 | 80 | Douglas-fir | 20 |
| | | | | | Mountain snowberry | 15 |
| | | | | | Creeping barberry | 10 |
| | | | | | Fendler meadowrue | 10 |
| | | | | | Mountain sorrel | 10 |
| | | | | | Quaking aspen | 10 |
| | | | | | Heartleaf arnica | 5 |
| | | | | | Kentucky bluegrass | 5 |
| | | | | | Sedge | 5 |
| | | | | | Slender wheatgrass | 5 |
| | | | | | Spike fescue | 5 |
| Onaqui family | --- | 350 | 250 | 150 | Low sagebrush | 20 |
| | | | | | Bluebunch wheatgrass | 15 |
| | | | | | Other perennial forbs | 10 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Other shrubs | 10 |
| | | | | | Bluegrass | 5 |
| | | | | | Douglas rabbitbrush | 5 |
| | | | | | Idaho fescue | 5 |
| | | | | | Spiny phlox | 5 |
| | | | | | Stemless goldenweed | 5 |
| | | | | | Wormleaf stonecrop | 5 |

Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland composition |
|-----------------------------|-----------------|-----------------------------|----------------|---------------------|---|--|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | <i>Lb/ac</i> | <i>Lb/ac</i> | <i>Lb/ac</i> | | <i>Pct</i> |
| s5878: Haunchee | --- | 1,400 | 1,100 | 600 | Curlleaf mountainmahogany Idaho fescue Bluebunch wheatgrass Mountain big sagebrush Arrowleaf balsamroot Columbia needlegrass Lanceleaf rabbitbrush Western needlegrass | 35 15 10 10 5 5 5 5 |