United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total o	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s5885:						
Clamp		500	375	250	Idaho fescue	35
					Low sagebrush	25
					Sandberg bluegrass	15
					Bluebunch wheatgrass	5
					Bottlebrush squirreltail	5
					Cusick bluegrass	5
Croesus						
Rock outcrop						
Clamp		500	375	250	Idaho fescue	35
•					Low sagebrush	25
					Sandberg bluegrass	15
					Bluebunch wheatgrass	5
					Bottlebrush squirreltail	5
					Cusick bluegrass	5
Clamp		500	400	300	Idaho fescue	30
•					Low sagebrush	30
					Sandberg bluegrass	15
					Bluebunch wheatgrass	5
					Bottlebrush squirreltail	5
					Cusick bluegrass	5



Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Characteriotic regenation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s5885:						
Croesus		1,200	1,000	800	Rough fescue	50
					Mountain big sagebrush	20
					Idaho fescue	10
					Douglas rabbitbrush	5
					Sandberg bluegrass	5
Croesus		1,500	1,200	900	Basin wildrye	55
					Mountain big sagebrush	15
					Snowberry	10
Duff		2,000	1,600	1,400	Basin wildrye	30
					Cusick bluegrass	10
					Idaho fescue	10
					Mountain big sagebrush	10
					Antelope bitterbrush	5
					Common snowberry	5
					Greene rabbitbrush	5



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pc
s5885:						
Hackwood		800	600	400	Antelope bitterbrush	5
					Bluebunch wheatgrass	5
					Bulbous oniongrass	5
					Carrotleaf Iomatium	5
					Columbia needlegrass	5
					Geranium	5
					Horsemint giant hyssop	5
					Mountain big sagebrush	5
					Mountain brome	5
					Nevada bluegrass	5
					Quaking aspen	5
					Serviceberry	5
					Slender wheatgrass	5
					Snowberry	5
Harcany family		1,400	1,000	700	Idaho fescue	50
					Thurber needlegrass	15
					Bluebunch wheatgrass	10
					Mountain big sagebrush	10
					Basin big sagebrush	5
					Basin wildrye	5
					Sandberg bluegrass	5
Harcany family		1,800	1,400	1,000	Idaho fescue	45
•		,	, -	, -	Basin wildrye	10
					Bluebunch wheatgrass	10
					Mountain big sagebrush	10
					Antelope bitterbrush	Ę
					Common snowberry	5
					Sandberg bluegrass	5



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s5885:						
Krackle		1,175	975	650	Bluebunch wheatgrass	40
					Big sagebrush	15
					Thurber needlegrass	15
					Sandberg bluegrass	5
					Arrowleaf balsamroot	3
					Douglas rabbitbrush	3
					Lupine	3
					Antelope bitterbrush	2
					Hawksbeard	2
					Phlox	2
Croesus						
Duff		1,800	1,400	1,000	Idaho fescue	45
54.1		1,000	1,100	1,000	Basin wildrye	10
					Bluebunch wheatgrass	10
					Mountain big sagebrush	10
					Antelope bitterbrush	5
					Common snowberry	5
					Sandberg bluegrass	5
Harcany family		1,800	600	400	Idaho fescue	40
					Low sagebrush	15
					Bluebunch wheatgrass	10
					Lupine	5
					Sandberg bluegrass	5



Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s5885:						
Duff		1,400	1,000	700	Idaho fescue	50
					Thurber needlegrass	15
					Bluebunch wheatgrass	10
					Mountain big sagebrush	10
					Basin big sagebrush	5
					Sandberg bluegrass	5
Harcany family		1,200	900	700	Idaho fescue	50
					Low sagebrush	20
					Bluebunch wheatgrass	10
					Sandberg bluegrass	5

