

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s599:						
Humboldt	---	---	---	---	---	---
Humboldt	---	1,900	1,400	800	Basin wildrye Alkali sacaton Black greasewood Inland saltgrass Rabbitbrush	50 20 10 5 5
Pit	---	1,400	1,100	800	Nevada bluegrass Silver sagebrush Beardless wildrye Western wheatgrass	75 10 5 5
Bobert	---	500	400	300	Black greasewood Inland saltgrass Seablite Bottlebrush squirreltail Spiny hopsage Western wheatgrass	60 15 10 5 5 5
Herjun	---	1,000	800	600	Black greasewood Inland saltgrass Alkaligrass Bluegrass Basin wildrye Rush Western wheatgrass	30 25 10 10 5 5 5
Fortsage	---	---	---	---	---	---

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s599:						
Truckee	---	---	---	---	---	---
Rose Creek	---	---	---	---	---	---
Fortsage	---	---	---	---	---	---
Massack	---	---	---	---	---	---
Mottsville	---	1,000	800	600	Antelope bitterbrush Needleandthread Indian ricegrass Mountain big sagebrush Bottlebrush squirreltail Desert needlegrass Gray horsebrush Other annual forbs Other perennial forbs Other perennial grasses Other shrubs	20 20 15 10 5 5 5 5 5 5 5
Blickenstaff	---	1,000	800	600	Black greasewood Inland saltgrass Alkaligrass Bluegrass Basin wildrye Rush Western wheatgrass	30 25 10 10 5 5 5
Smocreek	---	6,000	4,500	2,000	Basin wildrye Basin big sagebrush	60 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s599: Springmeyer	---	900	700	600	Thurber needlegrass	20
					Wyoming big sagebrush	15
					Antelope bitterbrush	10
					Basin wildrye	10
					Bottlebrush squirreltail	5
					Douglas rabbitbrush	5
					Indian ricegrass	5
					Other annual forbs	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5