

# Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s606:						
Petescreek	---	2,200	1,800	1,400	Idaho fescue Bluegrass Needlegrass Antelope bitterbrush Mountain big sagebrush	50 15 10 5 5
Fredonyer	---	1,500	1,000	700	Idaho fescue Curleaf mountainmahogany Mountain big sagebrush	45 30 5
Searles	---	1,800	1,200	900	Bluebunch wheatgrass Thurber needlegrass Antelope bitterbrush Mountain big sagebrush	70 10 5 5
Searles	---	1,800	1,200	900	Bluebunch wheatgrass Thurber needlegrass Antelope bitterbrush Mountain big sagebrush	70 10 5 5
Dunnlake	---	1,000	700	500	Bluebunch wheatgrass Idaho fescue Thurber needlegrass Low sagebrush Sandberg bluegrass Antelope bitterbrush	40 15 15 10 10 5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s606:						
Fivesprings	---	1,200	900	600	Bluebunch wheatgrass Thurber needlegrass Antelope bitterbrush Basin wildrye Mountain big sagebrush	60 15 5 5 5
Hapgood	---	---	---	---	---	---
Petesreek	---	2,200	1,800	1,400	Idaho fescue Bluegrass Needlegrass Antelope bitterbrush Mountain big sagebrush	50 15 10 5 5
Alomax	---	1,800	1,400	1,000	Bluebunch wheatgrass Idaho fescue Needlegrass Antelope bitterbrush Mountain big sagebrush	30 25 25 10 5
Newlands	---	2,200	1,800	1,400	Idaho fescue Bluegrass Needlegrass Antelope bitterbrush Mountain big sagebrush	50 15 10 5 5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s606:						<i>Pct</i>
Snag	---	1,500	1,200	900	Idaho fescue Bluebunch wheatgrass Mountain big sagebrush Canby bluegrass Snowberry Basin wildrye Sandberg bluegrass Antelope bitterbrush Thurber needlegrass	50 10 10 5 5 4 3 2 2
Easte	---	---	---	---	---	---
Glean	---	2,000	1,800	1,400	Bluebunch wheatgrass Idaho fescue Needlegrass Antelope bitterbrush Mountain big sagebrush	30 30 25 5 5
Glean	---	2,000	1,800	1,400	Bluebunch wheatgrass Idaho fescue Needlegrass Antelope bitterbrush Mountain big sagebrush	30 30 25 5 5
Rock outcrop	---	---	---	---	---	---
Rubble land	---	---	---	---	---	---

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s606:						
Fredonyer	---	1,500	1,000	700	Idaho fescue Curlleaf mountainmahogany Mountain big sagebrush	45 30 5
Hapgood	---	---	---	---	---	---
Hapgood	---	1,500	1,000	700	Idaho fescue Antelope bitterbrush Bluebunch wheatgrass Basin wildrye Bluegrass Junegrass Mountain big sagebrush Snowberry Thurber needlegrass	30 10 10 5 5 5 5 5 5
Longcreek	---	1,200	900	600	Bluebunch wheatgrass Thurber needlegrass Antelope bitterbrush Basin wildrye Mountain big sagebrush	60 15 5 5 5