

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s609:						
Devada	---	900	700	500	Bluebunch wheatgrass Low sagebrush Thurber needlegrass Bluegrass	30 20 15 10
Devada	---	900	700	500	Bluebunch wheatgrass Low sagebrush Thurber needlegrass Bluegrass	30 20 15 10
Rubble land	---	---	---	---	---	---
Fivesprings	---	1,200	900	600	Bluebunch wheatgrass Thurber needlegrass Antelope bitterbrush Basin wildrye Mountain big sagebrush	60 15 5 5 5
Longcreek	---	1,200	900	600	Bluebunch wheatgrass Thurber needlegrass Antelope bitterbrush Basin wildrye Mountain big sagebrush	60 15 5 5 5
Loomis	---	600	400	200	Black sagebrush Bluebunch wheatgrass Thurber needlegrass Bottlebrush squirreltail Sandberg bluegrass	40 35 20 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s609:						<i>Pct</i>
Fivesprings	---	1,200	900	600	Bluebunch wheatgrass Thurber needlegrass Antelope bitterbrush Basin wildrye Mountain big sagebrush	60 15 5 5 5
Searles	---	2,200	1,800	1,400	Bluebunch wheatgrass Idaho fescue Needlegrass Antelope bitterbrush	30 30 25 5
Rock outcrop	---	---	---	---	---	---
Brubeck	---	900	700	500	Bottlebrush squirreltail Western wheatgrass Beardless wildrye Little horsebrush Rubber rabbitbrush Thurber needlegrass Big sagebrush	25 15 10 10 10 10 5
Bucklake	---	1,200	900	600	Bluebunch wheatgrass Thurber needlegrass Antelope bitterbrush Basin wildrye Mountain big sagebrush Rabbitbrush	60 15 5 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s609:						
Glean	---	2,000	1,800	1,400	Bluebunch wheatgrass Idaho fescue Needlegrass Antelope bitterbrush Mountain big sagebrush	30 30 25 5 5
Horsecamp	---	900	700	500	Bottlebrush squirreltail Western wheatgrass Beardless wildrye Little horsebrush Rubber rabbitbrush Thurber needlegrass Big sagebrush	25 15 10 10 10 10 5
Lodico	---	1,000	700	500	Bluebunch wheatgrass Thurber needlegrass Low sagebrush Antelope bitterbrush	60 15 10 5
Longcreek	---	1,200	900	600	Bluebunch wheatgrass Thurber needlegrass Antelope bitterbrush Basin wildrye Mountain big sagebrush	60 15 5 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s609: Shinnpeak	---	600	400	200	Black sagebrush Bluebunch wheatgrass Thurber needlegrass Other perennial grasses Bottlebrush squirreltail Other perennial forbs Other shrubs Sandberg bluegrass	40 35 20 10 5 5 5 5