**United States** 

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total	dry-weight produ	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Po
352:						
Booth		1,000	800	300	Idaho fescue	3
					Low sagebrush	1
					Bluebunch wheatgrass	10
					Canby bluegrass	
					Hooker balsamroot	!
					Onespike oatgrass	!
					Sandberg bluegrass	
					Shrubby buckwheat	ŧ
Bullump		1,500	1,200	900	Mountain brome	40
					Mountain big sagebrush	20
					Basin wildrye	15
					Antelope bitterbrush	;
					Bluebunch wheatgrass	;
					Bluegrass	
					Idaho fescue	!
					Snowberry	
Bullump	<del></del>	2,000	1,400	1,000	Basin wildrye	1:
					Bluebunch wheatgrass	15
					Mountain brome	1:
					Antelope bitterbrush	10
					Idaho fescue	10
					Mountain big sagebrush	10
					Arrowleaf balsamroot	
					Bluegrass	!
					Snowberry	!
					Tapertip hawksbeard	



### **United States**

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s6352:						
Itca		950	600	350	Idaho fescue	25
					Low sagebrush	25
					Bluebunch wheatgrass	20
					Antelope bitterbrush	5
					Letterman needlegrass	5
					Lupine	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5
Lorella		1,200	900	600	Bluebunch wheatgrass	40
					Mountain big sagebrush	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Idaho fescue	5
					Sandberg bluegrass	5
Royst		1,200	900	700	Idaho fescue	40
					Bluebunch wheatgrass	20
					Antelope bitterbrush	10
					Ross sedge	10
					Ponderosa pine	5
					Western fescue	5
					Western needlegrass	5
Rock outcrop						



### **United States**

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pc
s6352:						
Bullump		2,000	1,400	1,000	Basin wildrye	15
					Bluebunch wheatgrass	15
					Mountain brome	15
					Antelope bitterbrush	10
					Idaho fescue	10
					Mountain big sagebrush	10
					Arrowleaf balsamroot	5
					Bluegrass	5
					Snowberry	5
					Tapertip hawksbeard	5
Nuss		1,200	1,000	800	Idaho fescue	50
					Curlleaf mountainmahogany	10
					Cusick bluegrass	10
					Mountain big sagebrush	10
					Basin wildrye	5
					Ponderosa pine	5
					Snowberry	5
					Western needlegrass	5
Nuss		1,200	1,000	800	Idaho fescue	50
					Curlleaf mountainmahogany	10
					Cusick bluegrass	10
					Mountain big sagebrush	10
					Basin wildrye	5
					Ponderosa pine	5
					Snowberry	5
					Western needlegrass	5



### **United States**

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Sharasishisi vogstation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s6352:						
Royst		1,200	900	700	Idaho fescue	40
					Bluebunch wheatgrass	20
					Antelope bitterbrush	10
					Ross sedge	10
					Ponderosa pine	5
					Western fescue	5
					Western needlegrass	5
Winterim						
Booth		1,000	800	300	Idaho fescue	35
					Low sagebrush	15
					Bluebunch wheatgrass	10
					Canby bluegrass	5
					Hooker balsamroot	5
					Onespike oatgrass	5
					Sandberg bluegrass	5
					Shrubby buckwheat	5
Winterim						
Mound						

