United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol and soil name | Ecological site | Total o | lry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|--------------------------|-----------------|-------------------|-----------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | Lb/ac | Lb/ac | Lb/ac | | Pc |
| s6373: | | | | | | |
| Clamp | | 500 | 375 | 250 | Idaho fescue | 35 |
| | | | | | Low sagebrush | 25 |
| | | | | | Sandberg bluegrass | 15 |
| | | | | | Bluebunch wheatgrass | 5 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Cusick bluegrass | 5 |
| Croesus | | | | | | |
| Rock outcrop | | | | | | |
| Clamp | | 500 | 375 | 250 | Idaho fescue | 35 |
| | | | | | Low sagebrush | 25 |
| | | | | | Sandberg bluegrass | 15 |
| | | | | | Bluebunch wheatgrass | 5 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Cusick bluegrass | 5 |
| Clamp | | 500 | 400 | 300 | Idaho fescue | 30 |
| | | | | | Low sagebrush | 30 |
| | | | | | Sandberg bluegrass | 15 |
| | | | | | Bluebunch wheatgrass | 5 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Cusick bluegrass | 5 |
| Croesus | | 1,500 | 1,200 | 900 | Basin wildrye | 55 |
| | | | | | Mountain big sagebrush | 15 |
| | | | | | Snowberry | 10 |



United States

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|--------------------------|-----------------|----------------|-----------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | Lb/ac | Lb/ac | Lb/ac | | Pc |
| s6373: | | | | | | |
| Croesus | | 1,200 | 1,000 | 800 | Rough fescue | 50 |
| | | | | | Mountain big sagebrush | 20 |
| | | | | | Idaho fescue | 10 |
| | | | | | Green rabbitbrush | Ę |
| | | | | | Sandberg bluegrass | Ę |
| Duff | | 2,000 | 1,600 | 1,400 | Basin wildrye | 30 |
| | | | | | Cusick bluegrass | 10 |
| | | | | | Idaho fescue | 10 |
| | | | | | Mountain big sagebrush | 10 |
| | | | | | Antelope bitterbrush | Ę |
| | | | | | Common snowberry | Ę |
| | | | | | Greene rabbitbrush | Ę |
| Hackwood | | 800 | 600 | 400 | Antelope bitterbrush | Ę |
| | | | | | Bluebunch wheatgrass | Ę |
| | | | | | Bulbous oniongrass | Ę |
| | | | | | Carrotleaf Iomatium | Ę |
| | | | | | Columbia needlegrass | Ę |
| | | | | | Geranium | Ę |
| | | | | | Horsemint | Ę |
| | | | | | Mountain big sagebrush | Ę |
| | | | | | Mountain brome | Ę |
| | | | | | Nevada bluegrass | 5 |
| | | | | | Quaking aspen | 5 |
| | | | | | Serviceberry | 5 |
| | | | | | Slender wheatgrass | 5 |
| | | | | | Snowberry | Ę |



United States

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|--------------------------|-----------------|----------------|-----------------|---------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | • | Lb/ac | Lb/ac | Lb/ac | | Pci |
| s6373: | | | | | | |
| Harcany family | | 1,400 | 1,000 | 700 | Idaho fescue | 50 |
| | | | | | Thurber needlegrass | 15 |
| | | | | | Bluebunch wheatgrass | 10 |
| | | | | | Mountain big sagebrush | 10 |
| | | | | | Basin big sagebrush | 5 |
| | | | | | Basin wildrye | 5 |
| | | | | | Sandberg bluegrass | 5 |
| Harcany family | | 1,800 | 1,400 | 1,000 | Idaho fescue | 45 |
| | | | | | Basin wildrye | 10 |
| | | | | | Bluebunch wheatgrass | 10 |
| | | | | | Mountain big sagebrush | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Common snowberry | 5 |
| | | | | | Sandberg bluegrass | 5 |
| Krackle | | 1,175 | 975 | 650 | Bluebunch wheatgrass | 40 |
| | | | | | Big sagebrush | 15 |
| | | | | | Thurber needlegrass | 15 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Arrowleaf balsamroot | 3 |
| | | | | | Green rabbitbrush | 3 |
| | | | | | Lupine | 3 |
| | | | | | Antelope bitterbrush | 2 |
| | | | | | Hawksbeard | 2 |
| | | | | | Phlox | 2 |
| Croesus | | | | | | |



United States

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|--------------------------|-----------------|-------------------|-----------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | • | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s6373: | | | | | | |
| Duff | | 1,800 | 1,400 | 1,000 | Idaho fescue | 45 |
| | | | | | Basin wildrye | 10 |
| | | | | | Bluebunch wheatgrass | 10 |
| | | | | | Mountain big sagebrush | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Common snowberry | 5 |
| | | | | | Sandberg bluegrass | 5 |
| Harcany family | | 1,800 | 600 | 400 | Idaho fescue | 40 |
| | | | | | Low sagebrush | 15 |
| | | | | | Bluebunch wheatgrass | 10 |
| | | | | | Lupine | 5 |
| | | | | | Sandberg bluegrass | 5 |
| Duff | | 1,400 | 1,000 | 700 | Idaho fescue | 50 |
| | | | | | Thurber needlegrass | 15 |
| | | | | | Bluebunch wheatgrass | 10 |
| | | | | | Mountain big sagebrush | 10 |
| | | | | | Basin big sagebrush | 5 |
| | | | | | Sandberg bluegrass | 5 |
| Harcany family | | 1,200 | 900 | 700 | Idaho fescue | 50 |
| | | | | | Low sagebrush | 20 |
| | | | | | Bluebunch wheatgrass | 10 |
| | | | | | Sandberg bluegrass | 5 |

