Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Onaracionsile vogetation	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s6477:						
Pilot Rock	LOAMY 14-17 PZ	2,000	1,600	1,100	Idaho fescue Bluebunch wheatgrass	75 45
МсКау	SOUTH 14-17 PZ	1,800	1,400	1,100	Bluebunch wheatgrass Idaho fescue	70 8
					Arrowleaf balsamroot Sandberg bluegrass	5 3
МсКау	NORTH 14-17 PZ	2,200	1,700	1,200	Idaho fescue Bluebunch wheatgrass	75 10
Pilot Rock	LOAMY 14-17 PZ	2,000	1,600	1,100	Idaho fescue Bluebunch wheatgrass	75 45
Pilot Rock	SOUTH 14-17 PZ	1,800	1,400	1,100	Bluebunch wheatgrass Idaho fescue Arrowleaf balsamroot Sandberg bluegrass	70 8 5 3
Pilot Rock	NORTH 14-17 PZ	2,200	1,700	1,200	Idaho fescue Bluebunch wheatgrass	75 10
Hermiston	LOAMY BOTTOM	6,000	4,000	2,000	Basin wildrye Big sagebrush	75 5
МсКау	SOUTH 14-17 PZ	1,800	1,400	1,100	Bluebunch wheatgrass Idaho fescue Arrowleaf balsamroot Sandberg bluegrass	70 8 5 3

