

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s6490:						
Watama	LOAMY 17-22 PZ	2,500	2,000	1,500	Idaho fescue Bluebunch wheatgrass	75 15
Ramo	CLAYEY 17-22 PZ	1,700	1,300	1,000	Idaho fescue Bluebunch wheatgrass	75 15
Gwinly	SHALLOW CLAYEY 17-22 PZ	1,100	800	400	Idaho fescue Bluebunch wheatgrass Sandberg bluegrass	65 30 5
McMurdie	CLAYEY 17-22 PZ	1,700	1,300	1,000	Idaho fescue Bluebunch wheatgrass	75 15
Lookingglass	---	---	---	---	---	---
Ukiah	CLAYEY 17-22 PZ	1,700	1,300	1,000	Idaho fescue Bluebunch wheatgrass	75 15
Conley	LOAMY BOTTOM	7,000	5,000	4,000	Basin wildrye Bluebunch wheatgrass Bluegrass Willow	85 5 5 5
McMurdie	CLAYEY 17-22 PZ	1,700	1,300	1,000	Idaho fescue Bluebunch wheatgrass	75 15
Phys	FAN 14-17 PZ	4,000	3,000	2,000	Basin wildrye Bluebunch wheatgrass Idaho fescue	60 25 10

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s6490: Ramo	SOUTH 17-22 PZ	2,200	1,800	1,400	Bluebunch wheatgrass Idaho fescue Arrowleaf balsamroot	80 8 5
Ramo variant	CLAYEY 17-22 PZ	1,700	1,300	1,000	Idaho fescue Bluebunch wheatgrass	75 15