

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s7775:						
Skumpah	---	650	450	350	Shadscale	55
					Bottlebrush squirreltail	10
					Winterfat	10
					Bud sagebrush	5
					Gray molly	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Playas	---	---	---	---	---	---
Drum	---	650	450	350	Shadscale	55
					Bottlebrush squirreltail	10
					Winterfat	10
					Bud sagebrush	5
					Gray molly	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s7775:						<i>Pct</i>
Smaug	---	600	500	400	Indian ricegrass	20
					Shadscale	20
					Bottlebrush squirreltail	10
					Bud sagebrush	10
					Other shrubs	10
					Winterfat	10
					Milkvetch	5
					Other perennial forbs	5
					Other perennial grasses	5
					Scarlet globemallow	5
Uffens	---	350	250	150	Bud sagebrush	40
					Galleta	15
					Shadscale	10
					Bottlebrush squirreltail	5
					Gray molly	5
					Indian ricegrass	5
					Mormon tea	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
Ocala	---	2,000	1,000	500	Alkali sacaton	25
					Basin wildrye	15
					Black greasewood	10
					Basin big sagebrush	5
					Inland saltgrass	5
					Rubber rabbitbrush	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s7775:						
Ixian	---	500	325	150	Saltbush	55
					Indian ricegrass	10
					Bottlebrush squirreltail	5
					Gray molly	5
Ixian	---	600	450	200	Black greasewood	55
					Alkali sacaton	10
					Basin wildrye	5
					Inland saltgrass	5
					Shadscale	5
Kawich	---	800	600	350	Black greasewood	25
					Wyoming big sagebrush	20
					Basin wildrye	10
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Shadscale	5
Kawich	---	700	500	350	Indian ricegrass	30
					Black greasewood	15
					Fourwing saltbush	15
					Bottlebrush squirreltail	5
					Rubber rabbitbrush	5
Luap	---	300	200	100	Shadscale	30
					Black greasewood	15
					Bottlebrush squirreltail	5
					Bud sagebrush	5
					Indian ricegrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
<i>s7775:</i>						
Sondoa	---	600	450	200	Black greasewood Alkali sacaton Inland saltgrass	55 10 5
Toano	---	500	325	150	Sickle saltbush Western wheatgrass Winterfat Bottlebrush squirreltail Indian ricegrass Shadscale	60 10 10 5 5 5
Toano	---	500	350	200	Winterfat Indian ricegrass Bottlebrush squirreltail	60 15 5
Valmy	---	600	450	300	Shadscale Black greasewood Bottlebrush squirreltail Bud sagebrush Indian ricegrass	35 20 5 5 5