

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s7800:						
Ironton	---	2,500	2,000	1,000	Kentucky bluegrass	25
					Other perennial grasses	10
					Sedge	10
					Baltic rush	5
					Basin wildrye	5
					Field horsetail	5
					Inland saltgrass	5
					Other perennial forbs	5
					Other shrubs	5
					Plantain	5
					Redtop	5
					Rubber rabbitbrush	5
					Silver cinquefoil	5
					Western wheatgrass	5
Draper	---	2,500	2,000	1,000	Kentucky bluegrass	25
					Other perennial grasses	10
					Sedge	10
					Baltic rush	5
					Basin wildrye	5
					Emery cinquefoil	5
					Field horsetail	5
					Inland saltgrass	5
					Other perennial forbs	5
					Other shrubs	5
					Plantain	5
					Redtop	5
					Rubber rabbitbrush	5
					Western wheatgrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s7800:						
Logan	---	4,500	3,000	1,500	Nebraska sedge	30
					Field horsetail	10
					Redtop	10
					Sedge	10
					Tufted hairgrass	10
					Baltic rush	5
					Kentucky bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Silver cinquefoil	5
					Willow	5
Harrisville	---	2,500	2,000	1,000	Kentucky bluegrass	25
					Other perennial grasses	15
					Other perennial forbs	10
					Other shrubs	10
					Sedge	10
					Baltic rush	5
					Basin wildrye	5
					Emery cinquefoil	5
					Field horsetail	5
					Inland saltgrass	5
					Redtop	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s7800:						
Leland	---	2,500	1,700	1,000	Alkali sacaton	20
					Inland saltgrass	20
					Alkali bluegrass	15
					Basin wildrye	10
					Black greasewood	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Rush	5
					Sedge	5
					Trident saltbush	5
Woods Cross	---	4,500	3,000	1,500	Nebraska sedge	30
					Sedge	10
					Baltic rush	5
					Field horsetail	5
					Kentucky bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Willow	5