Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year	Sile asis. Old Togotalion	composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s7852:						
Decker		2,500	1,750	1,000	Inland saltgrass	25
					Alkali sacaton	20
					Alkali bluegrass	15
					Basin wildrye	10
					Black greasewood	5
					Other perennial forbs	5
					Other perennial grasses	5
					Sedge	5
					Trident saltbush	5
					Tufted hairgrass	5
Lasil		2,500	1,750	1,000	Alkali sacaton	20
					Inland saltgrass	20
					Alkali bluegrass	15
					Basin wildrye	10
					Black greasewood	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Rush	5
					Sedge	5
					Trident saltbush	5



Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total o	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Pc
s7852:						
Terminal		2,500	1,750	1,000	Alkali sacaton	20
					Inland saltgrass	20
					Alkali bluegrass	15
					Basin wildrye	10
					Black greasewood	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Rush	5
					Sedge	5
					Trident saltbush	5
Saltair		250	200	100	Pickleweed	50
					Inland saltgrass	35
					Europe swampfire	5
					Other shrubs	5
					Seepweed	5
Bramwell variant		2,500	1,750	1,000	Alkali sacaton	20
					Inland saltgrass	20
					Alkali bluegrass	15
					Basin wildrye	10
					Black greasewood	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Rush	5
					Sedge	5
					Trident saltbush	5



Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland
		Favorable year	Normal year	Unfavorable year		composition
		Lb/ac	Lb/ac	Lb/ac		Pct
s7852:						
Chipman		2,500	1,750	1,000	Alkali sacaton	20
					Inland saltgrass	20
					Alkali bluegrass	15
					Basin wildrye	10
					Black greasewood	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Rush	5
					Sedge	5
					Trident saltbush	5

