

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s7861:						
Pleasant Vale	---	1,600	1,200	---	Bluebunch wheatgrass	40
					Basin big sagebrush	10
					Indian ricegrass	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Basin wildrye	5
					Bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Kirkham	---	2,500	2,000	1,000	Kentucky bluegrass	35
					Sedge	15
					Other perennial forbs	10
					Baltic rush	5
					Basin wildrye	5
					Field horsetail	5
					Other perennial grasses	5
					Other shrubs	5
					Redtop	5
					Silver cinquefoil	5
					Western wheatgrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s7861:						<i>Pct</i>
Sunset	---	2,500	2,000	1,000	Kentucky bluegrass	25
					Other perennial grasses	10
					Sedge	10
					Baltic rush	5
					Basin wildrye	5
					Field horsetail	5
					Inland saltgrass	5
					Other perennial forbs	5
					Other shrubs	5
					Plantain	5
					Redtop	5
					Rubber rabbitbrush	5
					Silver cinquefoil	5
					Western wheatgrass	5
Benjamin	---	2,500	2,000	1,000	Kentucky bluegrass	25
					Other perennial grasses	10
					Sedge	10
					Baltic rush	5
					Basin wildrye	5
					Field horsetail	5
					Other perennial forbs	5
					Other shrubs	5
					Plantain	5
					Rubber rabbitbrush	5
					Western wheatgrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s7861: Martini	---	2,500	2,000	1,000	Kentucky bluegrass	25
					Other perennial grasses	10
					Sedge	10
					Baltic rush	5
					Basin wildrye	5
					Emery cinquefoil	5
					Field horsetail	5
					Inland saltgrass	5
					Other perennial forbs	5
					Other shrubs	5
					Plantain	5
					Redtop	5
					Rubber rabbitbrush	5
					Western wheatgrass	5
Redola	---	1,600	1,200	700	Bluebunch wheatgrass	40
					Indian ricegrass	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Basin wildrye	5