Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol and soil name | Ecological site | Total dry-weight production | | | Characteristic vegetation | Rangeland |
|-----------------------------|-----------------|-----------------------------|----------------|------------------|-------------------------------|-------------|
| | | Favorable year | Normal year | Unfavorable year | 5.1.2.15.1.5.15 . 5g5.14.1611 | composition |
| <u> </u> | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s8053: | | | | | | |
| Alhark | | 1,100 | 735 | 400 | Bluebunch wheatgrass | 20 |
| | | | | | Wyoming big sagebrush | 15 |
| | | | | | Needleandthread | 10 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Black sagebrush | 5 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Fourwing saltbush | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Nevada bluegrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other shrubs | 5 |
| | | | | | Sandberg bluegrass | 5 |
| | | | | | Western wheatgrass | 5 |
| | | | | | Winterfat | 5 |
| Credo | | 800 | 600 | 400 | Indian ricegrass | 30 |
| Credo | | 000 | 000 | 400 | Needleandthread | 15 |
| | | | | | Wyoming big sagebrush | 15 |
| | | | | | Bottlebrush squirreltail | 10 |
| | | | | | Douglas rabbitbrush | 5 |
| | | | | | Sandberg bluegrass | 5 |



Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|--------------------------|-----------------|-------------------|-----------------|------------------|----------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | • | Lb/ac | Lb/ac | Lb/ac | | Pci |
| s8053: | | | | | | |
| Hiko Peak family | | 1,650 | 1,100 | 800 | Birchleaf mountainmahogany | 15 |
| | | | | | Bluebunch wheatgrass | 15 |
| | | | | | Indian ricegrass | 15 |
| | | | | | Basin big sagebrush | 10 |
| | | | | | Black sagebrush | 10 |
| | | | | | Other shrubs | 10 |
| | | | | | Bluegrass | 5 |
| | | | | | Nevada Mormon tea | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| | | | | | Phlox | 5 |
| Entmoot family | | 440 | 295 | 205 | Other shrubs | 49 |
| | | | | | Other perennial grasses | 38 |
| | | | | | Other perennial forbs | 13 |
| Kinghorn | | 700 | 525 | 210 | Black sagebrush | 25 |
| | | | | | Bluebunch wheatgrass | 20 |
| | | | | | Bluegrass | 10 |
| | | | | | Mountain big sagebrush | 10 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other shrubs | 5 |



Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total o | dry-weight prod | uction | Characteristic vegetation | Rangeland |
|-----------------------------|-----------------|-------------------|-----------------|------------------|---------------------------|-------------|
| | | Favorable year | Normal year | Unfavorable year | | composition |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s8053: | | | | | | |
| Agassiz | | 1,700 | 1,100 | 600 | Bluebunch wheatgrass | 25 |
| | | | | | Other perennial grasses | 20 |
| | | | | | Mountain big sagebrush | 15 |
| | | | | | Antelope bitterbrush | 10 |
| | | | | | Bluegrass | 10 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Low sagebrush | 5 |
| | | | | | Mountain snowberry | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other shrubs | 5 |

