

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s8147:						
Genola	---	2,000	1,100	700	Bluebunch wheatgrass	25
					Other perennial grasses	12
					Antelope bitterbrush	10
					Arrowleaf balsamroot	10
					Basin wildrye	8
					Sandberg bluegrass	8
					Wyoming big sagebrush	8
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Other perennial forbs	4
					Douglas rabbitbrush	2
					Western wheatgrass	2
					Peavine	1
Linoyer	---	900	700	500	Bluebunch wheatgrass	25
					Wyoming big sagebrush	20
					Bottlebrush squirreltail	10
					Indian ricegrass	10
					Arrowleaf balsamroot	5
					Hawksbeard	5
					Needleandthread	5
					Sandberg bluegrass	5
					Shadscale	5
					Winterfat	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s8147:						
Medburn	---	900	700	500	Bluebunch wheatgrass	25
					Wyoming big sagebrush	20
					Bottlebrush squirreltail	10
					Indian ricegrass	10
					Other shrubs	10
					Douglas rabbitbrush	5
					Hood phlox	5
					Needleandthread	5
					Penstemon	5
					Scarlet globemallow	5
Duggins	---	1,100	735	400	Bluebunch wheatgrass	20
					Big sagebrush	15
					Needleandthread	12
					Other perennial forbs	9
					Bottlebrush squirreltail	8
					Other perennial grasses	7
					Other shrubs	5
					Sandberg bluegrass	5
					Shadscale	5
					Winterfat	5
					Arrowleaf balsamroot	3
					Indian ricegrass	3
					Tapertip hawksbeard	3

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s8147:						
Goldrun	---	800	500	300	Indian ricegrass	35
					Basin wildrye	10
					Big sagebrush	10
					Black greasewood	5
					Fourwing saltbush	5
					Hairy horsebrush	5
					Needleandthread	5
					Spiny hopsage	5
					Thickspike wheatgrass	5
Hiko Peak	---	700	600	400	Black sagebrush	30
					Indian ricegrass	15
					Bluebunch wheatgrass	10
					Other shrubs	10
					Shadscale	10
					Bottlebrush squirreltail	5
					Douglas rabbitbrush	5
					Other perennial forbs	5
					Other perennial grasses	5
					Winterfat	5