

# Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Pct</i>	
s8148:						
Truesdale	---	1,100	700	400	Indian ricegrass	20
					Shadscale	20
					Bottlebrush squirreltail	10
					Needleandthread	10
					Other perennial grasses	10
					Winterfat	10
					Threeawn	5
					Douglas rabbitbrush	4
					Other shrubs	4
					Other perennial forbs	3
					Scarlet globemallow	2
					Bladderpod	1
					Spiny horsebrush	1
Linoyer	---	900	700	500	Bluebunch wheatgrass	25
					Wyoming big sagebrush	20
					Bottlebrush squirreltail	10
					Indian ricegrass	10
					Arrowleaf balsamroot	5
					Hawksbeard	5
					Needleandthread	5
					Sandberg bluegrass	5
					Shadscale	5
					Winterfat	5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s8148:						
Atchee	---	350	250	150	Black sagebrush	20
					Saline wildrye	20
					Bluebunch wheatgrass	10
					Mormon tea	10
					Galleta	5
Genola	---	2,000	1,100	700	Bluebunch wheatgrass	25
					Other perennial grasses	12
					Antelope bitterbrush	10
					Arrowleaf balsamroot	10
					Basin wildrye	8
					Sandberg bluegrass	8
					Wyoming big sagebrush	8
					Bottlebrush squirreltail	5
					Indian ricegrass	5
					Other perennial forbs	4
					Douglas rabbitbrush	2
					Western wheatgrass	2
					Peavine	1

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s8148:						
Henrieville	---	1,200	800	275	Other perennial grasses	16
					Black sagebrush	14
					Big sagebrush	13
					Galleta	10
					Blue grama	7
					Bullgrass	7
					Indian ricegrass	7
					Shadscale	7
					Winterfat	6
					Other shrubs	5
					Sand dropseed	3
					Other annual forbs	2
					Scarlet globemallow	2
					Other perennial forbs	1
Medburn	---	900	700	500	Bluebunch wheatgrass	25
					Wyoming big sagebrush	20
					Bottlebrush squirreltail	10
					Indian ricegrass	10
					Other shrubs	10
					Douglas rabbitbrush	5
					Hood phlox	5
					Needleandthread	5
					Penstemon	5
					Scarlet globemallow	5

# Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s8148:						
Sanpete	---	1,050	600	475	Bluebunch wheatgrass	25
					Indian ricegrass	15
					Shadscale	15
					Arrowleaf balsamroot	5
					Black sagebrush	5
					Bottlebrush squirreltail	5
					Needleandthread	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Sandberg bluegrass	5
					Tapertip hawksbeard	5
Scalade	---	650	500	250	Black sagebrush	25
					Bluebunch wheatgrass	15
					Indian ricegrass	15
					Bottlebrush squirreltail	5
					Douglas rabbitbrush	5
					Mormon tea	5
					Needleandthread	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Other shrubs	5
					Thickstem wildcabbage	5
					Winterfat	5