
Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|--------------------------|-----------------|-------------------|-----------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s8154: | | | | | | |
| Wallsburg | | 1,300 | 1,100 | 600 | Bluebunch wheatgrass | 30 |
| | | | | | Black sagebrush | 15 |
| | | | | | Bluegrass | 10 |
| | | | | | Mountain big sagebrush | 10 |
| | | | | | Other shrubs | 10 |
| | | | | | Saskatoon serviceberry | 10 |
| | | | | | Antelope bitterbrush | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Low sagebrush | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| Agassiz | | 1,700 | 1,100 | 600 | Bluebunch wheatgrass | 30 |
| | | | | | Black sagebrush | 15 |
| | | | | | Antelope bitterbrush | 10 |
| | | | | | Bluegrass | 10 |
| | | | | | Other shrubs | 10 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Low sagebrush | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| Rock outcrop | | | | | | |



Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total | dry-weight prod | uction | Characteristic vegetation | Rangeland composition |
|--------------------------|-----------------|----------------|-----------------|------------------|---------------------------|-----------------------|
| | | Favorable year | Normal year | Unfavorable year | | |
| | | Lb/ac | Lb/ac | Lb/ac | | Pci |
| s8154: | | | | | | |
| Broadhead | | 2,250 | 1,600 | 1,200 | Bluebunch wheatgrass | 40 |
| | | | | | Other perennial grasses | 16 |
| | | | | | Other shrubs | 9 |
| | | | | | Basin wildrye | 8 |
| | | | | | Bearded wheatgrass | 5 |
| | | | | | Lupine | 5 |
| | | | | | Muttongrass | 5 |
| | | | | | Antelope bitterbrush | 2 |
| | | | | | Arrowleaf balsamroot | 2 |
| | | | | | Mountain big sagebrush | 2 |
| | | | | | Mountain snowberry | 2 |
| | | | | | Western yarrow | 2 |
| | | | | | Lanceleaf yellowbrush | 1 |
| | | | | | Other perennial forbs | 1 |
| Flygare | | 3,000 | 2,000 | 1,300 | Blue wildrye | 10 |
| | | | | • | Kentucky bluegrass | 10 |
| | | | | | Mountain snowberry | 10 |
| | | | | | Slender wheatgrass | 10 |
| | | | | | Aspen peavine | 5 |
| | | | | | Bearded wheatgrass | 5 |
| | | | | | Edible valerian | 5 |
| | | | | | Horsemint | 5 |
| | | | | | Mountain brome | 5 |
| | | | | | Nodding bluegrass | 5 |
| | | | | | Sweetanise | 5 |



Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total | dry-weight prod | luction | Characteristic vegetation | Rangeland |
|-----------------------------|-----------------|----------------|-----------------|------------------|---------------------------|-------------|
| | | Favorable year | Normal year | Unfavorable year | | composition |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s8154: | | | | | | |
| Parkay | | 1,750 | 1,500 | 850 | Bluebunch wheatgrass | 25 |
| | | | | | Other perennial grasses | 20 |
| | | | | | Antelope bitterbrush | 10 |
| | | | | | Oniongrass | 10 |
| | | | | | Other shrubs | 10 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Idaho fescue | 5 |
| | | | | | Mountain big sagebrush | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Prairie junegrass | 5 |

