United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Po
8159:						
Birdow		1,400	1,200	700	Bluebunch wheatgrass	2
					Mountain big sagebrush	1
					Bluegrass	1
					Indian ricegrass	1
					Antelope bitterbrush	
					Arrowleaf balsamroot	
					Bottlebrush squirreltail	
					Douglas rabbitbrush	
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
					Western wheatgrass	
Doyce		1,400	1,200	700	Bluebunch wheatgrass	2
					Mountain big sagebrush	1
					Bluegrass	1
					Indian ricegrass	1
					Antelope bitterbrush	
					Arrowleaf balsamroot	
					Bottlebrush squirreltail	
					Douglas rabbitbrush	
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
					Western wheatgrass	



United States

Map symbol	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland
and soil name		Favorable year	Normal year	Unfavorable year	Onaracionato vogetation	composition
	•	Lb/ac	Lb/ac	Lb/ac		Pct
s8159:						
Keigley		1,600	1,200	700	Bluebunch wheatgrass	40
					Basin big sagebrush	10
					Indian ricegrass	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Basin wildrye	5
					Bluegrass	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Phlox	5
Collard		1,500	900	500	Bluebunch wheatgrass	20
					Wyoming big sagebrush	20
					Other perennial grasses	10
					Other shrubs	10
					Antelope bitterbrush	5
					Bottlebrush squirreltail	5
					Douglas rabbitbrush	5
					Hood phlox	5
					Indian ricegrass	5
					Muttongrass	5
					Other perennial forbs	5
					Prairie junegrass	5



United States

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Po
s8159:						
Moroni		1,600	1,200	700	Bluebunch wheatgrass	40
					Basin big sagebrush	1
					Indian ricegrass	1
					Antelope bitterbrush	Į.
					Arrowleaf balsamroot	Į.
					Basin wildrye	ŧ
					Bluegrass	ţ
					Other perennial forbs	
					Other perennial grasses	
					Other shrubs	
					Phlox	ŧ
Arapien		800	700	400	Indian ricegrass	20
					Black sagebrush	15
					Needleandthread	10
					Nevada bluegrass	10
					Horsebrush	
					Largeflower skeletonweed	į
					Nevada Mormon tea	į
					Other perennial forbs	į
					Small rabbitbrush	į.
					Spiny hopsage	Į.
					Western wheatgrass	Į.
					Winterfat	į



United States

Map symbol and soil name	Ecological site	Total	dry-weight prod	uction	Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
	•	Lb/ac	Lb/ac	Lb/ac		Po
s8159:						
Calita		1,400	1,200	700	Bluebunch wheatgrass	25
					Mountain big sagebrush	1:
					Bluegrass	10
					Indian ricegrass	10
					Antelope bitterbrush	Ę
					Arrowleaf balsamroot	Ę
					Bottlebrush squirreltail	Ę
					Douglas rabbitbrush	Ę
					Other perennial forbs	Ę
					Other perennial grasses	Ę
					Other shrubs	Ę
					Western wheatgrass	Ę
Snake Hollow		1,400	1,200	700	Bluebunch wheatgrass	25
					Mountain big sagebrush	15
					Bluegrass	10
					Indian ricegrass	10
					Antelope bitterbrush	Ę
					Arrowleaf balsamroot	Ę
					Bottlebrush squirreltail	Ę
					Douglas rabbitbrush	Ę
					Other perennial forbs	Ę
					Other perennial grasses	Ę
					Other shrubs	Ę
					Western wheatgrass	Ę

