Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

| Map symbol | Ecological site | Total o | Total dry-weight production | | Characteristic vegetation | Rangeland |
|---------------|-----------------|----------------|-----------------------------|------------------|----------------------------|-------------|
| and soil name | Loological site | Favorable year | Normal year | Unfavorable year | Griaracteristic vegetation | composition |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s8168: | | | | | | |
| Lizzant | | 1,750 | 1,500 | 850 | Bluebunch wheatgrass | 25 |
| | | | | | Other perennial grasses | 20 |
| | | | | | Antelope bitterbrush | 10 |
| | | | | | Bulbous oniongrass | 10 |
| | | | | | Other shrubs | 10 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Mountain big sagebrush | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Prairie junegrass | 5 |
| Mower | | 1,300 | 1,100 | 600 | Bluebunch wheatgrass | 30 |
| | | | | | Other perennial forbs | 15 |
| | | | | | Antelope bitterbrush | 10 |
| | | | | | Low sagebrush | 10 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Other shrubs | 10 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Indian ricegrass | 5 |
| Agassiz | | 1,700 | 1,100 | 600 | Bluebunch wheatgrass | 30 |
| | | | | | Black sagebrush | 15 |
| | | | | | Antelope bitterbrush | 10 |
| | | | | | Bluegrass | 10 |
| | | | | | Other shrubs | 10 |
| | | | | | Arrowleaf balsamroot | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Low sagebrush | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |



Rangeland Productivity and Plant Composition

United States

| Map symbol and soil name | Ecological site | Total dry-weight production | | uction | Characteristic vegetation | Rangeland |
|-----------------------------|-----------------|-----------------------------|----------------|------------------|---------------------------|-------------|
| and soil name | | Favorable year | Normal year | Unfavorable year | | composition |
| | | Lb/ac | Lb/ac | Lb/ac | | Pct |
| s8168: | | | | | | |
| Hamtah | | 3,100 | 1,800 | 1,600 | Bearded wheatgrass | 15 |
| | | | | | Bigtooth maple | 15 |
| | | | | | Other shrubs | 14 |
| | | | | | Other perennial grasses | 10 |
| | | | | | Slender wheatgrass | 10 |
| | | | | | Gambel oak | 8 |
| | | | | | Common chokecherry | 5 |
| | | | | | Muttongrass | 5 |
| | | | | | Arrowleaf balsamroot | 3 |
| | | | | | Columbia needlegrass | 2 |
| | | | | | Mallow ninebark | 2 |
| | | | | | Utah serviceberry | 2 |
| | | | | | Woods rose | 2 |
| Lundy | | 1,000 | 750 | 350 | Black sagebrush | 20 |
| · | | · | | | Bluebunch wheatgrass | 20 |
| | | | | | Antelope bitterbrush | 10 |
| | | | | | Bluegrass | 10 |
| | | | | | Other shrubs | 10 |
| | | | | | Bottlebrush squirreltail | 5 |
| | | | | | Indian ricegrass | 5 |
| | | | | | Mexican cliffrose | 5 |
| | | | | | Mountain big sagebrush | 5 |
| | | | | | Other perennial forbs | 5 |
| | | | | | Other perennial grasses | 5 |
| Rock outcrop | | | | | | |
| Clegg | | | | | | |



Rangeland Productivity and Plant Composition

United States

| Rangeland | Characteristic vegetation | Total dry-weight production | | | Ecological site | Map symbol |
|-------------|---------------------------|-----------------------------|----------------|-------------------|-----------------|---------------|
| composition | onaracione regenation | Unfavorable year | Normal year | Favorable year | _00/0g/ca/ 0/10 | and soil name |
| Pct | | Lb/ac | Lb/ac | Lb/ac | | |
| | | | | | | 168: |
| | | | | | | Kitchell |