

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s9062:						
Buckskin	LOAMY (15-19W)	2,400	2,000	1,400	Bluebunch wheatgrass	30
					Mountain big sagebrush	10
					Other perennial grasses	10
					Antelope bitterbrush	5
					Arrowleaf balsamroot	5
					Columbia needlegrass	5
					Cutleaf balsamroot	5
					Geranium	5
					Mountain brome	5
					Nevada bluegrass	5
					Other perennial forbs	5
					Other shrubs	5
					Prairie Junegrass	5
					Slender wheatgrass	5
Decross	LOAMY (15-19W)	2,400	2,000	1,400	Idaho fescue	20
					Streambank wheatgrass	15
					Antelope bitterbrush	10
					Big sagebrush	10
					Canby bluegrass	10
					Spike fescue	10
					Columbia needlegrass	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s9062:						
Turson	SUBIRRIGATED (15-19W)	5,500	4,500	3,500	Tufted hairgrass	20
					Kentucky bluegrass	10
					Other perennial forbs	10
					Slender wheatgrass	10
					Willow	10
					Alpine timothy	5
					Basin wildrye	5
					California brome	5
					Nebraska sedge	5
					Other perennial grasses	5
					Sedge	5
					Shrubby cinquefoil	5
					Western wheatgrass	5
Paulson	LOAMY (15-19W)	2,400	2,000	1,400	Idaho fescue	20
					Streambank wheatgrass	15
					Antelope bitterbrush	10
					Big sagebrush	10
					Canby bluegrass	10
					Spike fescue	10
					California brome	5
					Columbia needlegrass	5
Cowdrey	---	---	---	---	---	---
Cryaquepts	---	---	---	---	---	---
Cryaquolls	---	---	---	---	---	---

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		<i>Pct</i>
s9062: Dipman	WETLAND (15-19W)	7,500	6,000	5,500	Tufted hairgrass Northern reedgrass Nebraska sedge Willow Baltic rush Bluejoint Narrowleaf blueeyed grass Other perennial forbs Other perennial grasses	30 25 10 10 5 5 5 5 5
Greyback	LOAMY (15-19W)	2,400	2,000	1,400	Idaho fescue Streambank wheatgrass Antelope bitterbrush Big sagebrush Canby bluegrass Other perennial forbs Spike fescue California brome Columbia needlegrass Other perennial grasses	20 15 10 10 10 10 10 5 5 5
Rooset	LOAMY (15-19W)	2,400	2,000	1,400	Idaho fescue Streambank wheatgrass Antelope bitterbrush Big sagebrush Canby bluegrass Spike fescue California brome Columbia needlegrass	20 15 10 10 10 10 5 5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s9062:						<i>Pct</i>
Starley	SHALLOW LOAMY (15-19W)	1,700	1,400	800	Streambank wheatgrass	15
					Bluebunch wheatgrass	10
					Idaho fescue	10
					Achnatherum lettermanii	5
					Antelope bitterbrush	5
					Big sagebrush	5
					Curl-leaf mountain mahogany	5
					Needleleaf sedge	5
					Prairie Junegrass	5
					Sandberg bluegrass	5
					Small Douglas rabbitbrush	5
					Spike fescue	5
					Squirreltail	5
Robana	LOAMY (15-19W)	2,400	2,000	1,400	Idaho fescue	20
					Streambank wheatgrass	15
					Antelope bitterbrush	10
					Big sagebrush	10
					Canby bluegrass	10
					Other perennial forbs	10
					Spike fescue	10
					California brome	5
					Columbia needlegrass	5
					Other perennial grasses	5
Rockland	---	---	---	---	---	---

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s9062: Willow Creek	LOAMY (15-19W)	2,400	2,000	1,400	Idaho fescue	20
					Streambank wheatgrass	15
					Antelope bitterbrush	10
					Big sagebrush	10
					Canby bluegrass	10
					Other perennial forbs	10
					Spike fescue	10
					California brome	5
					Columbia needlegrass	5
					Other perennial grasses	5