

Rangeland Productivity and Plant Composition

United States

[Only the soils that support rangeland vegetation suitable for grazing are rated. This report shows only the major soils in each map unit]

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		Lb/ac	Lb/ac	Lb/ac		Pct
s9584:						
Strych	Breaks 10-14" p.z.	1,100	750	550	Bigelow sagebrush	15
					Muttongrass	15
					Black grama	10
					Blue grama	10
					Galleta	10
					Other perennial grasses	10
					Other shrubs	10
					Desert needlegrass	5
					Green Mormon tea	5
					Other perennial forbs	5
					Utah juniper	2
Rock outcrop	---	---	---	---	---	---
Monue	Sandy Loam Upland 6-10" p.z.	800	600	450	Indian ricegrass	30
					Blue grama	15
					Galleta	10
					Needle and thread	10
					Ephedra cutleri	5
					Fourwing saltbush	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Black grama	2
					Broom snakeweed	1

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s9584: Begay	Sandy Loam Upland 10-14" p.z.	1,000	700	400	Indian ricegrass	20
					Needle and thread	20
					Blue grama	15
					Bottlebrush squirreltail	5
					Ephedra cutleri	5
					Galleta	5
					Other perennial forbs	5
					Other perennial grasses	5
					Wyoming big sagebrush	3
					Greene rabbitbrush	2
					Other shrubs	2
					Utah juniper	2
					Twoneedle pinyon	1
Kinan	Sandy Loam Upland 6-10" p.z.	800	600	450	Blue grama	20
					Galleta	20
					Black grama	15
					Indian ricegrass	10
					Ephedra cutleri	5
					Greene rabbitbrush	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5

Rangeland Productivity and Plant Composition

United States

Map symbol and soil name	Ecological site	Total dry-weight production			Characteristic vegetation	Rangeland composition
		Favorable year	Normal year	Unfavorable year		
		<i>Lb/ac</i>	<i>Lb/ac</i>	<i>Lb/ac</i>		
s9584:						<i>Pct</i>
Penistaja	Sandy Loam Upland 10-14" p.z.	1,000	700	400	Indian ricegrass	20
					Needle and thread	20
					Blue grama	15
					Galleta	15
					Bottlebrush squirreltail	5
					Ephedra cutleri	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Wyoming big sagebrush	3
					Ericameria nauseosa ssp. nauseosa var. glabrata	2
					Twoneedle pinyon	1
					Utah juniper	1
Mido	Sandy Upland 10-14" p.z.	1,000	650	400	Needle and thread	30
					Indian ricegrass	20
					Blue grama	15
					Sand sagebrush	10
					Ephedra cutleri	5
					Other perennial forbs	5
					Other perennial grasses	5
					Other shrubs	5
					Bottlebrush squirreltail	3
					Dropseed	3
					Sandhill muhly	3
					Buckwheat	2
					Utah juniper	2
					Singleleaf pinyon	1